



JPW MARINE

WHOLESALE MARINE SPECIALISTS

NEW PRODUCTS CATALOGUE



www.jpwmarine.com.au



LONAKO®

Since 2002

SOLAS Water Activated Lifebuoy Light

A lithium battery-powered man overboard emergency light to be installed onto a lifebuoy. Automatically activated when dropped into water and will flip upwards, outputting a flashing white light for at least 24hrs.

- Fire-resistant, oil-resistant, mould-proof, corrosion-proof and water-proof.
- Far exceeds SOLAS requirements.
- Installation clip included.
- Light intensity: > 2cd.
- Floats.



Part No.	H x Dia (mm)
JPW11022	124 x 90

Mini SOLAS Water Activated Lifebuoy Light

An alkaline battery-powered man overboard emergency light to be installed onto a lifebuoy. It has the features as the standard model above, but is more compact and lightweight.

- Twist to "AUTO" for gravity and water sensors double activation.
- Installation clip included.



Part No.	H x Dia (mm)
JPW11023	144 x 90

Mini SOLAS Water Activated Lifebuoy Light

A lithium battery-powered emergency light to be installed on all kinds of life jackets. Automatically activates when in contact with water and will continue to output a flashing white light for at least 28hours.

- Fire-resistant, oil-resistant, mould-proof, corrosion-proof and water-proof.
- Can manually turn on/off while in water.
- Far exceeds SOLAS requirements.
- Light intensity: Min 0.75cd.
- Floats.



Part No.	L x W x D (mm)
JPW11024	62 x 28 x 31.5

Contact the office or log in to your online account for pricing.





JPW MARINE

WHOLESALE MARINE SPECIALISTS

APRIL 2023 NEW PRODUCTS

SCANSTRUT

Waterproof Cable Seals



PowerTower Radar Mounts



Radar Mast & Deck Mounts



10W Wireless Phone Chargers



Tablet & Phone Mounts



USB Charging Sockets



Multi-Function Display Mounts



No.	JPW Part No.	Description
1	JPW10412	Vertical Cable Seal 2-8mm Cable 16mm Connector Black
	JPW10413	Vertical Cable Seal 2-8mm Cable 15mm Connector Stainless Steel
	JPW10415	Vertical Cable Seal 4-9mm Cable 21mm Connector Black
	JPW10416	Vertical Cable Seal 4-9mm Cable 21mm Connector Stainless Steel
	JPW10418	Vertical Cable Seal 9-14mm Cable 21mm Connector Black
	JPW10419	Vertical Cable Seal 9-14mm Cable 21mm Connector Stainless Steel
	JPW10421	Vertical Cable Seal 9-14mm Cable 30mm Connector Black
	JPW10422	Vertical Cable Seal 9-14mm Cable 30mm Connector Stainless Steel
2	JPW10427	Vertical Cable Seal 2-6mm Cable 6mm Connector Black
	JPW10429	Horizontal Single Cable Seal 6-10mm
	JPW10430	Horizontal Double Cable Seal 6-10mm
	JPW10432	Horizontal Single Cable Seal 2-6mm
3	JPW10433	Horizontal Double Cable Seal 2-6mm
	JPW10434	Vertical Multiple Cable Seal Aluminium
4	JPW10435	Vertical Multiple Cable Seal Black Plastic
	JPW10450	PowerTower Aluminium 150mm White
5	JPW10451	PowerTower Aluminium 150mm Black
	JPW10462	Composite PowerTower White 350mm
6	JPW10463	Composite PowerTower White 150mm
	JPW10465	PowerTower Base Wedge 4deg
7	JPW10454	Central Light Bar Mount White
	JPW10455	Central Light Bar Mount Black
8	JPW10476	ROKK Mini Tablet Mount Kit with Screw Down Base
9	JPW10477	ROKK Mini Tablet Mount Kit with Rail Mount Base
10	JPW10480	ROKK Mini Tablet Mount Kit with Suction Cup Base

No.	JPW Part No.	Description
11	JPW10485	ROKK Mini Clamp Adjustable Body
12	JPW10472	ROKK Mini Phone Clamp Top Plate
13	JPW10491	Radar Mast Mount 395mm Black
14	JPW10492	Radar Mast Mount 395mm White
15	JPW10461	Radar Mast Mount 484mm White
16	JPW10466	Flagship Tapered Radar Mount
17	JPW10465	ROKK Qi 10W Wireless Phone Charger Hidden
18	JPW10496	ROKK Qi 10W Wireless Phone Charger Surface
19	JPW10497	ROKK Qi 10W Wireless Phone Charger Active
20	JPW10498	ROKK Qi 10W Wireless Phone Charger Edge
21	JPW10499	ROKK Qi 10W Wireless Phone Charger Nest
22	JPW10500	ROKK Qi 10W Wireless Phone Charger Sub
23	JPW10501	ROKK Qi 10W Wireless Phone Charger Catch
24	JPW10502	ROKK Qi 10W Wireless Phone Charger Cove
25	JPW10503	ROKK Qi 10W Wireless Phone Charger CoveLED
26	JPW10504	ROKK Qi 10W Wireless Phone Charger Nano
27	JPW10509	ROKK Charge+ Waterproof Dual USB-A Socket
28	JPW10510	ROKK ChargePro Waterproof Dual USB-A & USB-C Socket
29	JPW10511	Flip Pro Dual USB Socket
30	JPW10512	Flip Pro Dual USB Socket with Front Bezel
31	JPW10519	Scarpods Deck Mount 324x228mm
32	JPW10520	Scarpods Deck Mount 374x243mm
33	JPW10524	Scarpods Helm Rail Mount 324x228mm
34	JPW10525	Scarpods Helm Rail Mount 374x243mm

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

TotalCool 3000 Portable Evaporative Cooling System

High quality evaporative cooling, using the latest technology and ergonomic design, working on 12V, 24V and AC mains power.


- Built in battery protection system with automatic cut off.
- Up to 45% colder air over 7m.
- Lightweight, compact and portable.
- 4 speed settings.
- Runs on normal tap water.
- Low current draw 0.3 - 1.8A.
- Includes power leads, cooling filter pads, window sticker & user guide.
- Use with Totalfresh Essential Oils pack: **JPW88052**.



Part No.	Dimensions L x W x H (mm)
JPW88021	260 x 240 x 210

Totalcool Replacement Cooling Pads 2 Pack

For use with the TotalCool 3000 Evaporative Cooling system above.



Part No.
JPW88053

TotalFresh Essentials Oils 5 Pack

For use with the TotalCool 3000 Evaporative Cooling system above.



Part No.	Oils Included	Capacity
JPW88052	Tea Tree, Peppermint, Citronella, Lemongrass & Eucalyptus	10mL

MAY 2023 NEW PRODUCTS

TOTALCOOL

— PORTABLE 12/24 VOLT / MAINS POWER SYSTEMS —

Totalcool Portable Fridge Freezers

Manufactured from the highest quality components, these dual zone fridge/freezers are lightweight, robust and beautifully designed.

- Ultra energy efficient with low current draw.
- High quality, strong and durable.
- Smart LED display and control system.
- Stays cold up to 8 hours once unplugged.
- Input Power: 12V / 24V / AC Adapter.
- Power Consumption: 30-40W / 2.5-3.3A.
- Temperature Range: -20°C to +20°C
- Includes removable basket.



JPW88032



JPW88034



JPW88036

Part No.	Litres (L)	Weight (kg)	Dimensions L x W x H (mm)
JPW88032	35	12	690 x 345 x 382
JPW88034	45	13	690 x 345 x 462
JPW88036	55	14	690 x 345 x 524

TotalCool Portable Foldable Solar Panel

Portable and foldable, this 100W solar panel features a USB Type A socket, USB Type C socket and DC port for direct charging.

- High efficiency sun power cells (125 x 125mm).
- Water resistant - use outdoors or on the dash of your vehicle.
- Lightweight: 3.6kg.



Part No.	Dimensions L x W x H (mm)
JPW88024	1500 x 425 x 5

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwwmarine.com.au | www.jpwwmarine.com.au



Electric Toilets Standard Flush

12V Standard flush toilet with compact or space saver bowl.

- Hygienic pure white vitreous china bowl for ease of cleaning.
- Rotating 90° pump mounting for choice of right or left-handed installation.
- Low water consumption.
- Powerful self-priming pump for above or below waterline installation.
- Special macerator pump allows the expulsion up to 3.5m in height.
- Self priming up to 1.5m vertically.
- Equipped with soft close seat lid and control panel.
- Impact resistant material base with stainless steel metal parts & screws.
- Voltage: 12V | Amps: 17A
- Port connections: Inlet 19mm (3/4") / Outlet 25mm & 38mm (1" & 1-1/2")
- Evolution conversion kit upgrade available, which includes a 360° rotatable discharge port connection (see page 2).



JPW15855

JPW15856

Part No.	Bowl Type	Dimensions L x W x H
JPW15855	Compact	425 x 345 x 373mm
JPW15856	Space Saver	425 x 345 x 345mm

Electric Toilets Silent Flush

12V or 24V Silent flush toilet with compact or comfort bowl.

- Fresh water flush with boats existing pump.
- Salt water flush requires additional pump (see page 2).
- Hygienic pure white vitreous china bowl for ease of cleaning.
- Low water consumption.
- Special macerator pump allows the expulsion up to 7m in height.
- Equipped with soft close seat lid and control panel.
- Impact resistant material base with stainless steel metal parts & screws.
- Voltage: 12 or 24V | Amps: 17A @ 12V or 8A @ 24V
- Port connections: Inlet 19mm (3/4") / Outlet 25mm & 38mm (1" & 1-1/2")
- Standard or Evolution conversion kit upgrades with 360° rotating port connection and/or 90° rotating pump available (see page 2).



Compact Bowl



Comfort Bowl

Part No.	Bowl Type	Voltage	Dimensions L x W x H
JPW15857	Compact	12V	335 x 420 x 390mm
JPW15858	Compact	24V	
JPW15859	Comfort	12V	365 x 460 x 385mm
JPW15860	Comfort	24V	

Manual Toilets

Manual angled pump with long stroke for more comfortable operation, with compact or space saver bowl.

- Hygienic pure white vitreous china bowl for ease of cleaning.
- Reversible pump mounting for choice of right or left-handed installation.
- Corrosion resistant materials throughout.
- Low water consumption.
- Powerful self-priming pump for installation above or below waterline.
- Equipped with soft close seat lid.
- Impact resistant material base with stainless steel metal parts and screws.
- Port connections: Inlet. 19mm (3/4") / Outlet 38mm (1-1/2").
- Electric conversions kits available (see page 2).



Part No.	Bowl Type	Dimensions L x W x H
JPW15861	Compact	400 x 450 x 340mm
JPW15862	Space Saver	400 x 450 x 295mm

Contact the office or log in to your online account for pricing.





Electric Toilet Standard Conversion Kits

Converts the bowl of most toilets to the ease and convenience of electric operation. Suits most toilets with 4 bolt fixing and bolt centres on a 95 mm (3 3/4") diameter circle, such as Matmarine, Jabsco, TMC, Raritan, RM69, Johnson Pump, Thetford & Lalizas.

- Contains stainless steel bolts and washers, hose, gaskets and control panel.
- Space saving and rotating 90 degrees.
- Pump easily accessible for servicing.
- Corrosion resistant materials.

Part No.	Voltage
JPW15873	12V
JPW15874	24V



Electric Toilet Evolution Conversion Kits

Same as above but with a new high-performance discharge pump and extremely silent operation.

- Includes a 360° rotatable discharge port connection.



Part No.	Voltage
JPW15871	12V
JPW15872	24V

Toilet Seats with Soft Close Lid

Soft close seat suitable for Space Saver / Compact bowl or Comfort bowl, on manual or electric toilets.

- Intchangeable with Ocean Technologies, Jabsco, SPX, TMC and RM69 toilets.



Part No.	Bowl Type
JPW15875	Space Saver & Compact
JPW15876	Comfort

Diaphragm Flush Pump for Silent Electric Toilets

Latest generation of silent pumps equipped with 4 diaphragms. Necessary equipment to supply salt water on all series of Ocean Technologies electrical silent toilets.

- Brings in ocean salt water to rinse toilet bowl.
- Includes strainer.
- Delivery: 12 litres.



Part No.	Voltage
JPW15877	12V
JPW15878	24V

Macerator Pump 43LPM

Bronze macerator and rubber impeller discharge pump which macerates and discharges waste and waste mixtures.

- Self priming up to 0.6m vertical lift.
- 43 LPM output at 3m total head.
- Dimensions: 240 x 130 x 90mm
- Voltage: 12V or 24V | Amp draw: 12A @ 12V or 6A @ 24V
- Connection input: 38mm hose barb / output: 25mm
- Meets CE electrical standards.



Part No.	Voltage
JPW15889	12V
JPW15890	24V

Waste Tank Carbon Filter Breather

Complete filter manufactured in light alloy and nylon, with 16mm (5/8"), 19mm (3/4") and 25mm (1") barbs.

- Carbon lifetime approx. 1 year.

Part No.
JPW15893



Contact the office or log in to your online account for pricing.





Marine Blowers

Centrifugal blower ideal for marine engine compartments that require venting of warm air. These blowers have the best ratio on the market, between volume air flow and compact size.

- Very strong dynamic flange mount or flex mount.
- Made from strong nylon material with stainless steel shaft and screws.
- Continuous duty with low current draw.
- Ignition protected ISO 8846.



Flex Mount



Flange Mount

Part No.	Mount	Capacity	Volts	Amps	Inlet	Outlet	Dimensions
JPW15899	Flange	280 CMH	12V	3.8A	75mm	72mm	200 x 165 x 195mm
JPW15900	Flange	280 CMH	24V	2A	75mm	72mm	200 x 165 x 195mm
JPW15901	Flex	550 CMH	12V	12A	100mm	103mm	290 x 257 x 150mm



Inline Bilge Blowers

Modern inline blowers utilizing advanced five fan blade design technologies for maximum flow and performance, suitable for bulkhead mounting.

- Incorporates an engineered plastic housing with flexible installation.
- Compact simple design, intermittent or continuous duty.
- Port connection: 178mm
- Long motor lifetime from powerful airflow cooling.
- Quiet operation with low power consumption.
- Meets ISO 8846, EN 55014 standards.



165 x 220mm



250 x 220mm

Part No.	Type	Capacity	Volts	Amps	Dimensions L x Dia
JPW15902	Intermittent	750 CMH	12V	5A	250 x 220mm
JPW15903	Intermittent	750 CMH	24V	2.5A	250 x 220mm
JPW15904	Intermittent	750 CMH	12V	5A	165 x 220mm
JPW15905	Continuous	1000 CMH	24V	3.5A	250 x 220mm
JPW15906	Continuous	1000 CMH	24V	3.5A	165 x 220mm



Spotlight Electric Pro Wired LED

A new powerful searchlight with improved style and performances, ideal for medium and big-sized yachts.

- Wired spotlight with 2 bright powered 25-15 watt LEDs.
- Two light operational mode: deep and spot.
- Maximum beam distance at 300m.
- Made from sun-ray white ASA material.
- Dimensions: 230 x 185 x 210mm
- Voltage: 12V | Amps: 4A
- 7500 hours lifetime.



Part No.

JPW15896

Complete with water-proof remote control and 4m lead.

Marine Horn with Support Bracket Mount

Fully watertight marine electromagnetic horn for pleasure boats, with support mount.

- Easily positioned on deck and suitable for roll bar installation.
- Supplied with stainless steel support fixing plate.
- Casing made from strong white ABS material.
- Corrosion-resistant and fully watertight.
- Dimensions: 100 x 155 x 60mm
- Tested at 50.000 cycles (1" on / 4" off).
- Voltage: 12V | Amps: 4.5A



Part No.

JPW15911

Contact the office or log in to your online account for pricing.



Starbrite Aqua Water Shock Concentrate

Instantly removes chlorine, sulphur, plastic or metal odour and taste from boat or RV's potable water. Ideal for use after seasonal storage to "freshen" water tanks.

- Provides long-lasting effect, even in extreme temperatures.
- 1 fluid ounce treats 10 gallons of water.

Part No.	Capacity
JPW8050	475ml



Starbrite Aqua Water Treatment & Freshener

Maintains perfect drinking water quality in boats and RVs. Can be used as often as needed to ensure quality of bathing and drinking water and ice.

- Prevents foul tasting or smelling potable water.
- 1 fluid ounce treats 20 gallons of water.

Part No.	Capacity
JPW8053	237ml



Starbrite Instant Fresh Toilet Treatment Pine Scent

This efficient, biodegradable formula quickly breaks down waste to remove potential odours, while leaving a light, pleasant scent behind.

- Special lubricants prevent drain valves from sticking.
- Can be used in black or grey water, and in recirculation or portable toilets.
- 1 fluid ounce treats 5 gallons.

Part No.	Capacity
JPW8069	946ml



Starbrite Tea Tree Oil Spray

Genuine natural Australian tea tree oil eliminates musty and unpleasant odours naturally.

- Ideal for winterized boats & year-round use.
- Keeps air clean & fresh.

Part No.	Capacity
JPW8089	473ml



Starbrite NosGuard Odour Eliminator Fast Release Scent Bomb

Eliminate foul odours from enclosed areas caused by mold, mildew, pets, food, smoke and garbage. Each pouch treats an area up to 1,000 cubic feet.

- Leaves behind a crisp, clean scent.
- Deep penetrating vapour begins working immediately.
- Eliminates tough odours within 4-6 hours.
- Ideal for use in stored boats and RVs.

Part No.
JPW8094



Starbrite NosGuard Odour Control Slow Release Bags

The most effective way to eliminate and prevent mold and mildew odour and other foul smells from forming year round.

- Each pouch treats an area up to 1,000 cubic feet.
- Keeps enclosed areas odour-free, crisp and clean smelling.
- Extended release system remains effective for up to 3 months

Part No.
JPW8096



Starbrite Boat Care Bucket Kit

Great starter kit for the new boater, everything fits into bucket for convenient storage.

Kit contains:

- 1x Premium Marine Polish 473ml
- 1x Non-Skid Deck Cleaner 946ml
- 1x Boat Wash In A Bottle 473ml
- 1x Instant Hull Cleaner 946ml
- 1x Vinyl Brite 473ml
- 1x Reggae Wash Mitt

Part No.
JPW8203



Contact the office or log in to your online account for pricing.





Starbrite Microfiber Cloths

These lint-free microfiber cloths attract and lift dirt, dust, and grime with ease.

- Use dry to clean and polish, or damp to clean off stubborn marks, leaving a streak-free finish.
- Super absorbent & extra soft, use dry or damp.
- Machine washable.



Part No.	No. Cloths in Pack
JPW8200	2

Starbrite Ultimate Water Absorber Drying Towel Blue

This towel is lint-free, resistant to chemicals, mold, and mildew (when cared for properly), and can easily last years.

- Safe to use on any gelcoat, fiberglass, auto finish, eisenglass and plastic.
- Machine washable.



Part No.	Size (mm)
JPW8205	660 x 430

Starbrite Sponges

Excellent for all washing tasks.



JPW8206

JPW8210

Part No.	Type	Size L x W x H (mm)
JPW8206	Bone Shaped	228 x 127 x 82
JPW8210	Super Absorbent Cellulose	228 x 45 x 12

Starbrite Premium Chamois Mop

Super absorbent, ultra-wide synthetic chamois strips provide maximum speed-drying performance.

- Includes storage bag to keep mop clean and pliable between uses.
- Attaches to Starbrite Extend-A-Brush handles.



Part No.
JPW8168

Starbrite Extend-A-Brush Telescopic Handle

High quality marine grade handle constructed of aircraft grade, triple anodized aluminium, designed to float if dropped overboard.

- Two non-slip hand grips with positive twist lock.
- Stainless steel push button quick connect/disconnect.



Part No.	Adjustable Length (m)
JPW8155	0.91 - 1.8

Starbrite Extend-A-Brush Standard Handle

High quality marine grade handle constructed of aircraft grade, triple anodized aluminium with stainless steel push button quick connect/disconnect.

- Fixed length with two non-slip hand grips.



Part No.	Length (m)
JPW8158	1.5

Starbrite Extend-A-Brush Economy Handle

A durable, very attractive one-piece handle that accepts screw-on accessories.

- Outlasts traditional wooden economy handles.



Part No.	Length (m)
JPW8161	1.2

Starbrite Brush Adapters

Made from triple anodized aluminium.



JPW8196



JPW8197

Part No.	Connection
JPW8196	Shurhold (or equivalent) brush to Star Brite handle
JPW8197	Star Brite brush to Shurhold (or equivalent) handle

Contact the office or log in to your online account for pricing.





Starbrite Reggae Microfiber Mop

Wide microfiber strips made of super-absorbent material to absorb water without scratching fiberglass or polished metal surfaces.

- Ideal for traditional mopping and boat wash chores.
- Attaches to all Starbrite Extend-A-Brush handles.



Part No.

JPW8169

Starbrite Reggae Microfiber Wet/Dry Pad

Thick absorbent microfiber material that absorbs water without scratching glass, fiberglass, polished metal surfaces or even delicate clear plastic enclosures.

- Can also be used dry for dusting.
- Attaches to all Starbrite Extend-A-Brush handles.



Part No.

JPW8170

Starbrite Reggae Microfiber Wash Sponge

Thick absorbent microfiber material that absorbs water without scratching glass, fiberglass, polished metal surfaces or even delicate clear plastic enclosures.

- Special scrubbing side quickly and easily removes tough dirt, stains, scum line on hull.
- Can also be used dry for dusting.
- Machine washable.



Part No.

JPW8171

Starbrite Reggae Microfiber Wash Mitt

Thick absorbent microfiber material that absorbs water without scratching glass, fiberglass, polished metal surfaces or even delicate clear plastic enclosures.

- Can also be used dry for dusting.
- Machine washable.



Part No.

JPW8172

Starbrite Premium Brushes

These lightweight synthetic block brushes with bumper are impervious to exposure to UV rays, cleaning agents and weather.

- Attaches to Starbrite Extend-A-Brush handles.
- Bumper edges help prevent scuff marks.
- Floats if dropped over board.



Part No.	Bristle Hardness	Colour
JPW8174	Soft	Yellow
JPW8175	Medium	Blue
JPW8176	Hard	White

Starbrite Premium Wood Block Brush

Impervious to exposure to UV rays, cleaning agents and weather.

- Medium fibers that quickly break down heavy dirt and stains.
- Bumper edges help prevent scuff marks.
- Floats if dropped over board.
- Attaches to Starbrite Extend-A-Brush handles.



Part No.	Bristle Hardness	Colour
JPW8178	Medium	Blue

Starbrite Scrub Brushes

Made with high density, stiff corrugated star prene lightweight polymer fibers that don't stain, discolour or become brittle. It resists most cleaning chemicals and withstands heat up to 200F.

- Space-age material will not rot, mildew or absorb odours.
- Attaches to Starbrite Extend-A-Brush handles.
- Great for non-skid and textured surfaces.



Part No.	Bristle Hardness	Colour
JPW8180	Soft	Yellow
JPW8181	Medium	Blue
JPW8182	Hard	White

Contact the office or log in to your online account for pricing.





JPW MARINE

WHOLESALE MARINE SPECIALISTS

SEPTEMBER 2023

NEW PRODUCTS

Stainless Steel Switch Panels with Blue LED On/Off Switches

Sleek switch panels featuring pre-wired removable blue LED On/Off actuation push button switches. The faceplate is made from 316-grade stainless steel and are highly polished to a mirror finish.

- Vertical or horizontal mount.
- Pre-wired ready to fit.
- Includes 4 mounting screws.
- Voltage: 12-24V.
- Amps: 15A.

Includes 100x
icon labels



Pre-wired
for easy
installation



JPW12927
6 Gang with labels



JPW12928
8 Gang



JPW12927
6 Gang



JPW12926
4 Gang

Part No.	Gang	Overall Size (mm)	Cutout (mm)
JPW12926	4	80 x 80	60 x 60
JPW12927	6	110 x 80	90 x 60
JPW12928	8	140 x 80	120 x 60
JPW12805	Spare Label Sticker Set		

Water Resistant Switch Panels with Blue LED On/Off Switches

ABS plastic switch panels feature pre-wired removable blue LED On/Off actuation push button switches.

- Vertical or horizontal mount.
- Pre-wired ready to fit.
- Voltage: 12-24V.
- Amps: 15A.

Includes 100x
icon labels



Pre-wired for
easy installation



Supplied with o-ring seal and
stainless steel face plate.



IP65

Part No.	Gang	Overall (mm)	Cutout (mm)
JPW12915	4	130 x 52	107 x 27
JPW12917	6	182 x 52	157 x 27
JPW12805	Spare Label Sticker Set		



JPW12917
6 Gang




JPW12915
4 Gang

Water Resistant Push Button Switches

Pre-wired panel mount LED switch with stainless steel housing and button, with silicon O-ring. Available with solid LED or ring LED in blue or red.

- Standard ON/OFF actuation or Momentary (ON)/OFF.
- Pre-wired ready to fit.
- Voltage: 12-24V.
- Amps: 15A.

IP65



(Dimensions in mm)

Blue Solid LED
or Ring LED



Red Solid LED
or Ring LED



*Position shown in brackets is momentary action only (not latching)

Part No.	Button	Actuation	LED
JPW12766	Solid	ON/OFF	Blue
JPW12767	Solid	ON/OFF	Red
JPW12768	Solid	(ON)/OFF	Blue
JPW12769	Solid	(ON)/OFF	Red
JPW12798	Ring	ON/OFF	Blue
JPW12800	Ring	ON/OFF	Red
JPW12799	Ring	(ON)/OFF	Blue
JPW12801	Ring	(ON)/OFF	Red
JPW12805	Spare Label Sticker Set		

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

OCTOBER 2023

NEW PRODUCTS

Dual Circuit Battery Isolator 2 or 3 Position Switch

Simultaneously switches two isolated battery banks. The design of the case allows for various panel mounting options: surface, rear, or front panel mount.

- Safe for installation aboard gasoline powered boats.
- Ignition protected.
- **JPW6139:** Dual circuit combine model can combine battery banks for emergency starting.
- Voltage: Max 32V DC.
- Continuous Amp: 350A
- Intermittent Amp: 525A
- Terminal stud: 3/8" 16 (M10)



JPW6138
ON/OFF



JPW6139
ON/OFF/Combine

Part No.	Function
JPW6138	On / Off
JPW6139	On / Off / Combine

Mente Marine ACS Auto Trim Tab Controller

Attitude control system for controlling boats roll (healing) and pitch (angle), suits lengths from 6m to 18m.

- Wires of actuators or hydraulic pump are connected directly to the back of the control panel.
- Compatible with all popular trim tabs (Lectrotab, Lenco, Bennett, Instatrim)
- Tab position is estimated and displayed for all kinds of trim tabs.
- Automatic control is suspended while turning.
- Adapts to varying sea conditions.
- Off the plane sleep; suspended while off the plane.
- Voltage: 10-30V DC.
- Max output current: 18A (when tabs activated).



Part No.	Power
JPW16150	Electric and Hydraulic Systems

GME Omni Directional TV Antenna



Dual loop active broadband digital TV antenna ensures quality reception on all digital free-to-air TV channels. It will also provide reception for available analogue free-to-air TV channels that are within its frequency range.

- Built-in amplifier.
- Weather resistant UV stabilised housing.
- Supplied with required mounting hardware suitable for pole mounting or mast mounting.




Part No.	GME Code	Dimensions Dia x W (mm)
JPW88273	AE3000	280 x 55

Up/Down Control Panel Switch



Momentary, on-off-on, rocker switch type switch pane, suitable for use in multiple station installations. Used in conjunction with solenoids in heavy power demand applications.

- Latest model features a scratch-resistant glossy surface.
- Voltage: 12/24V



(Dimensions in mm)



Part No.	Model
QFPWCS8100000A00	WCS830

USB-A + USB-C Dual Port Rocker Switch Style Socket with Waterproof Cap

High current, dual USB socket with Blue LED indicator.

- Waterproof with PVC mounting gasket seal and dust cover
- Input voltage: 12/24V.
- Output: 4.8A @ 5V (2.4A per port).

IP65



Part No.	Ports
JPW12589	1x USB-A & 1x UBS-C

Switch Panel with Circuit Breaker & Anchor LED (On)/Off/(On) Switch



Combination LED illuminated up/down switch (12V 20amp) and circuit breaker (100A) both mounted into a polished 316-grade stainless steel faceplate.

- Designed for flush mount
- Includes all necessary fixing hardware.



Part No.	Dimensions L x W (mm)
JPW12591	100 x 80

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

Rod Holder Straight Head with Cap & Insert - Stainless Steel

Polished 316-grade stainless steel flush mount rod holder with a straight head.

- Complete with rubber gasket, shaft insert and cap.
- Solid stainless steel gimbal pin through shaft.
- 8mm countersunk fastening holes.



Part No.	Shaft I.D. with insert (mm)	Length (mm)	Head Size (mm)	Cut-out (mm)
JPW5952	41	210	115 x 90	51

Rod Holder Adjustable Rail Mount - Stainless Steel

Polished 316-grade stainless steel with an adjustable clamp-on rail mount bracket.

- Includes black PVC insert with solid base to protect your rod.



360° rotation with adjustable teeth



Part No.	Suits Rails (mm)	Shaft I.D. (mm)	Length (mm)
JPW5938	25 - 32	41	235

Rod Holder Adjustable Rail Mount - Stainless Steel

Polished 316-grade stainless steel with an adjustable clamp-on rail mount bracket.

- Includes white PVC insert to protect your rod.
- Welded in rod gimbal pin through shaft.



360° rotation with adjustable teeth



Part No.	Suits Rails (mm)	Shaft I.D. (mm)	Length (mm)
JPW5935	25 - 50	43	260
JPW5936	19 - 25	43	260


OCTOBER 2023

NEW PRODUCTS

U Bolts - Stainless Steel

316-grade stainless steel 'U' bolts with tapered shaft welded to the bearing plate for added strength.

- Supplied with 2 cross plates and 2 hex nuts.



Part No.	Dimensions (mm)							
	Thread (A)	B	C	D	E	F	G	H
JPW4845	9.5 (3/8")	114	45	25.5	66.5	76	25.5	9.5
JPW4846	12.5 (1/2")	110	58	30	54	64	32	12.5
JPW4847	12.5 (1/2")	135	58	30	80	90	32	12.5
JPW4848	12.5 (1/2")	160	58	32	105	115	32	12

Trailer Stone Guards



Protect your boat from stones and other road debris when being towed.

- Two panels with adjustable ø25mm stainless steel framework.
- Heavy duty PVC mesh with #10 surround zipper.
- Secure with included 8x U Bolts and quality webbing straps.



Part No.	Panel Width (mm)	Panel Height (mm)
JPW11295	1520	900
JPW11296	1870	1000

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

OCTOBER 2023

NEW PRODUCTS



AD49 Moulded Boat Seat

Colour: Mid Grey / Dark Grey Piping

This seat features a smaller frame and turning circle, perfect for mounting where space is limited.

- Marine grade UV-resistant soft vinyl.
- Heavy duty rotationally moulded base.
- Compatible with standard swivel and slide mounts.



Elastic mesh storage pocket in back of seat

Part No.	Dimensions L x W x H (mm)
JPW2901	550 x 495 x 450

H52 Compact Helmsman Flip-Up Boat Seat

Colour: Cognac / Black

Features a hinged front bolster cushion that lifts and folds up, allowing the helmsman to stand and lean against it with greater comfort.

- UV-resistant marine vinyl upholstery and heavy-duty stitching.
- Aluminium frame.
- Compatible with standard swivel and slide mounts.
- NEW Cognac vinyl colour with attractive black panels.



Part No.	Dimensions L x W x H (mm)
JPW2760	670 x 510 x 600

AD49R Moulded Boat Seat

Colour: Mid Grey / Dark Grey Piping

Same design as the AD49 above, but with removable backrest and seat cushions with press studs.



Moulded UV-resistant plastic

Part No.	Dimensions L x W x H (mm)
JPW2897	550 x 495 x 450

RM52 Flip-Up Boat Seat

Colour: Cognac

The RM52 has a more sportier look and includes two back openings to allow for more airflow. The bottom cushion has extra bolster length to accommodate for longer legs and results in a more comfortable seat.

- UV-resistant marine vinyl upholstery and heavy-duty stitching.
- High-impact, rotationally moulded plastic frame.
- Compatible with standard swivel and slide mounts.
- NEW Cognac vinyl colour.



Part No.	Dimensions L x W x H (mm)
JPW2814	700 x 520 x 600

Marine Grade Vinyl Material

Colour: Cognac

Perfectly suited for a variety of upholstery projects.

- Material width: 1.37m / roll length: 10m



Part No.
JPW2967

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

OCTOBER 2023

NEW PRODUCTS



Bench Seat Cushions

*Bench Seat Cushions
with Side Pockets*

*Weatherproof Bench
Seat Cushions*

BOAT SEATS CUSHIONS

Oceansouth Boat Bench Seat Cushions

Colours: Blue or Grey

Made of UV-resistant PVC fabric, supplied with male and female marine grade press-stud fittings, for removal from the bench when not in use.

- Dense 50mm thick foam.

Part No. (Blue)	Part No. (Grey)	W x L (mm)
JPW11271-1	JPW11271-2	300 x 600
JPW11271-3	JPW11271-4	400 x 600
JPW11271-5	JPW11271-6	300 x 1200
JPW11271-7	JPW11271-8	400 x 1200
JPW11271-9	JPW11271-10	400 x 1500



Oceansouth Weatherproof Boat Bench Seat Cushions

Colours: Navy Blue or Grey

Made of UV and weather resistant, polyester marine fabrics with heavy-duty PVC mesh backing. Supplied with male and female marine grade press-stud fittings, for removal from the bench when not in use.

- Dense 65mm thick foam.



Part No. (Blue)	Part No. (Grey)	W x L (mm)
JPW11273-1	JPW11273-2	300 x 450
JPW11273-3	JPW11273-4	300 x 1200
JPW11273-5	JPW11273-6	370 x 450
JPW11273-7	JPW11273-8	370 x 1200
JPW11273-9	JPW11273-10	370 x 1300
JPW11273-11	JPW11273-12	370 x 1400
JPW11273-13	JPW11273-14	370 x 1500
JPW11273-15	JPW11273-16	370 x 1600
JPW11273-17	JPW11273-18	370 x 1800
JPW11273-19	JPW11273-20	420 x 450
JPW11273-21	JPW11273-22	420 x 1600
JPW11273-23	JPW11273-24	420 x 1700
JPW11273-25	JPW11273-26	420 x 1800



*Marine-grade #5
Derlin zippers*

Oceansouth Bench Seat Cushions with Side Pockets

Colours: Blue or Grey

Made of UV-resistant PVC fabric, these cushions feature spacious under seat pockets for easy storage of various items. Supplied with male and female marine grade press-stud fittings, for removal from the bench when not in use.

- Dense 50mm thick foam.

Part No. (Blue)	Part No. (Grey)	W x L (mm)
JPW11272-1	JPW11272-2	300 x 600
JPW11272-3	JPW11272-4	400 x 600
JPW11272-5	JPW11272-6	300 x 1200
JPW11272-7	JPW11272-8	400 x 1200
JPW11272-9	JPW11272-10	400 x 1500



Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

NOVEMBER 2023

NEW PRODUCTS

Hella Marine Sea Hawk-470 LED Pencil Beam with Edge Light



Combines a long distance white light, performance capable of picking out even the most distant objects, and a striking Edge Light (available in both blue or white). Supplied with a versatile 316-grade stainless steel bracket design which allows upright or pendant mount with feet aimed in or out.

- Low power consumption.
- UV, corrosion and impact resistant.
- Heavy duty Grilamid lens.
- Pre-wired with 2.5m marine cable.
- Made in New Zealand.

Power: Pencil Beam: 36W (2.7A @ 12V / 1.4A @ 24V)
Blue Edge Light: 2W (160mA @ 12V/ 80mA @ 24V)
White Edge Light: 4W (300mA @ 12V / 150mA @ 24V)

Voltage: Multivolt 12/24V DC

Lumens: 1700



H64825




H64826



H64827



H64828



(Dimensions in mm)

Part No.	Hella Code	Housing	Edge Light
H64825	2LT 958 140-501	Black	White
H64826	2LT 958 140-521	Black	Blue
H64827	2LT 958 140-511	White	White
H64828	2LT 958 140-531	White	Blue



LED Flood Light 3200 Lumens

Black ADC12 aluminium alloy housing with breather filters, fitted with 4x 10W OSRAM LEDs to provide a mass volume of light.


- 316-grade stainless steel bracket.
- Impact-resistant polycarbonate lens.
- Completely dust tight and waterproof.
- 360° rotation angles.

Power Consumption: 40W

Voltage: Multivolt 9-32V

Lumens: 3200

Beam Angle: 85° (flood) / 10° (spot)



(Dimensions in mm)



Pre-wired 400mm waterproof cable



Part No.

JPW11946



Alternatives with 3400Lms



JPW11944




JPW11943

Boat Hook - Floating Telescopic

Features a 30mm anodized aluminium tubing that telescopes quickly and twist-locks securely.

- Internally threaded hook for attaching brush heads.
- Black nylon single-hook head and rolled-grip handle base.
- Additional central grip handle for ease of use.



Part No.	Tube Dia (mm)	Length (m)
JPW677	30	1.2 - 2.1

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

FEBRUARY 2024 NEW PRODUCTS

Heavy Duty Suspension Seat Base Pedestal 360mm

- Optimum shock mitigation for spine and neck, creates a smoother and more comfortable ride.
- Manufactured from marine grade aluminium.
- 4 position height adjustments (322 - 360mm).
- Hydraulic type shock absorber with tension adjustment.
- Standard swivel & slide mount hole pattern.
- Impact resistant.

IN STOCK



Part No.	Dimensions L x W x H (mm)
JPW2895	338 x 200 x 360

Portable Camping Table with Sink and Faucet

- Multi-purpose perfect for boating, fishing, camping or in the back yard.
- In-built sink with removable water faucet & drainage hose.
- Includes rubber drain plug and required fittings.
- Foldable legs folds flat.
- Table top material: High Density Polyethylene.
- Table top thickness: 65mm.
- Sink (L x W x D): 400 x 270 x 65mm

IN STOCK



Part No.	Dimensions L x W x H (mm)
JPW3636	1150 x 590 x 860

HM59 Flip-Up Helm Master Boat Seat

Colour: Cognac / Black

- Anodised aluminium and stainless-steel frame.
- Flip-up bolster and arm rests.
- Heavily padded for maximum comfort.
- UV-resistant marine vinyl upholstery and heavy-duty stitching.
- Lightweight and durable.
- Standard swivel & slide mount hole pattern.
- Carbon Black with White stitching and NEW Cognac coloured panel down the center.

IN STOCK



Part No.	Dimensions L x W x H (mm)
JPW2723	650 x 582 x 620

H52 Compact Helmsman Flip-Up Boat Seat

Colour: Cognac / Black

- Flip-up bolster.
- UV-resistant marine vinyl upholstery
- Heavy-duty stitching.
- Aluminium frame.
- Standard swivel & slide mount hole pattern.
- NEW Cognac vinyl colour with attractive black panels.

IN STOCK



Part No.	Dimensions L x W x H (mm)
JPW2760	670 x 510 x 600

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmachine.com.au | www.jpwmachine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

FEBRUARY 2024 NEW PRODUCTS



ICOM

VHF MARINE RADIOS

IPX7 | 100%
WATERPROOF

Handheld VHF Radio Transceiver Float'n Flash IC-M25EURO 550mW

Slim and lightweight with easy to use smart features. When the transceiver is dropped into the water, it will float, flash and alarm. Supplied complete with in-built battery cell, handstrap, AC power adapter, USB cable, belt clip and antenna.

- 550mW audio output.
- AquaQuake™ prevents audio degradation from a water-logged speaker.
- Dual/Tri-watch, favourite channel & 2-step power save functions.
- Instant access to Ch 16 or programmable call channel.
- Large LCD interface with auto backlighting.
- Micro-B USB connector for charging.
- Up to 11 hours battery life with 4-step battery life indicator.
- Protected in 1m depth of water for 30 minutes.



Part No.

JPW88635

VHF Marine Radio Transceiver IC-M200

This fixed mount VHF Marine radio is compact, waterproof features a powerful front mount speaker, delivering loud and intelligible audio even in noisy maritime environments. Supplied with a handheld microphone, DC power cable and mounting bracket kit.

- AquaQuake™ prevents audio degradation from a water-logged speaker.
- Dual/Tri-watch and favourite channel functions.
- Channel operation with the supplied hand microphone.
- Large LCD interface with 4-step backlighting.
- Voltage: 12V DC.
- Output Power: 25W (high power)
1W (low power).
- Protected in 1m depth of water for 30 minutes.



Part No.

JPW88641

Handheld VHF Radio Transceiver Float'n Flash IC-M37E 700mW

With the same features to the IC-325EURO above, this slightly larger model features a rechargeable Li-ion battery pack. Supplied complete with AC power adapter, battery desktop charger, handstrap, belt clip and antenna.

- 700mW audio output.
- Low battery alert.
- Protected in 1m depth of water for 30 minutes.



Part No.

JPW88636

VHF Marine Radio Transceiver Compact IC-M330GE

With the same features to the IC-M200 above, this model features an ultra compact body. Supplied with a handheld microphone, DC power cable, GPS antenna, 5m cable and mounting bracket kit.

- Full Dot-Matrix display and keypad backlighting.
- Built-in GPS receiver with antenna.
- Protected in 1m depth of water for 30 minutes.



Part No.

JPW88644

Colour

Black

JPW88645

White

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au





Runva Electric Trailer Winch 11XS with Remote Control & Synthetic Rope

The Runva 11XS Premium is the winch that ticks all the boxes if you want massive line pull capacity, but limited on space. Featuring a massive 4,990kg (11,000lb) of line pull from the powerful and reliable 6.7HP motor. The gearbox is a three stage planetary setup with tough 228:1 gear ratio to handle even the toughest jobs.

The winch is ideal for boat trailers, tippers, car trailers, chippers, 4X4 use and MUCH more. It comes with a handheld wireless remote control for effortless trailer loading.

This model has all of premium features built in. Feel confident in the most extreme conditions with full IP67 ingress protection (watertight and dust tight). The brake is an advanced ratchet system which is located in the gearbox which is super efficient and able to hold without fail when you stop winching. Unlike the other traditional brake systems which uses brake pads, this will not wear out.

The clutch is easily engaged/disengaged via the Rotary Clutch system, this winch is the compact version of the best selling 11XP Premium. (Note: This compact model will not fit a standard 4X4 Winch Bar/Bullbar).

Features:


- 4990kg (11,000lb) line pull capacity.
- Super compact model.
- Includes wireless remote control.
- Waterproof & Dust tight.
- Ratchet brake in gearbox.
- Air freespool clutch available.
- Ideal for large trailers - boat & car.

Part No.

JPW6455

Rated Line Pull:	4,990kg (11,000lb)
Motor:	(12v) 5.0kw/6.7hp; (24v) 6.0kw/8.2hp
Gear Train:	Full steel 3 stage planetary
Gear Ratio:	228:01:00
Clutch Type:	Stainless steel rotary clutch
Clutch Handle Position:	Dearbox can be rotated
Brake:	Automatic ratchet load holding in gearbox
Cable Type:	Synthetic rope
Cable Size:	10mm x 15m
Drum Size:	63 x 112mm
Mounting Bolt Pattern:	151 x 114.3mm
Overall dimensions:	471mm (L) x 160mm (W) x 200mm (H)
Remote Control:	Includes heavy duty handheld + wireless remote control
Battery Leads:	2x 1.8m heavy duty leads
Finish:	Black powder coat
Warranty:	Limited 5 year electrical and lifetime mechanical warranty

Runva
WINCH INDUSTRIES 1989



(Dimensions in mm)

Included accessories (plus mounting hardware):



Contact the office or log in to your online account for pricing.





Viper LED Anchor Rocker Switch (On)/Off/(On) with Face Plate



Illuminated red LED anchor rocker switch mounted into a polished 316-grade stainless steel or aluminium faceplate.

- Momentary (ON)/OFF/Momentary (ON) actuation.
- Voltage: 12V / Amps: 20A.
- Designed for flush mount.
- Includes all necessary fixing hardware.
- Overall size (W x H): 60 x 80mm.




Part No.	Face Plate
JPW12592-1	Stainless Steel
JPW12592-2	Aluminium

Deck Fill Stainless Steel with Vent FUEL 38mm

Heavy duty cast 316 grade stainless steel deck fill with breather vent and FUEL identification stamped into the highly polished top.

- Suits 16mm breather hose.




Part No.

JPW19268

Keyless Deck Fill with 45deg Base Stainless Steel FUEL 38mm

Flush mount cast 316-grade stainless deck filler with 45° angled hose connection and a flip-up key to ensure easy removal.

- Coarse thread, 'O' ring seal & retaining chain.



Part No.

JPW19269

Viper Pro Flush Mount Switch Panel Face Plates




Hand polished to a mirror finish, these face plates are to suit the Viper Pro Rocker Switch or Rocker Switch / Circuit breaker combo.

- Designed for flush mount.
- Includes all necessary fixing hardware.



Single Rocker Switch



Combo Rocker Switch & Circuit Braker

Part No.	Suits	Type	W x H (mm)
JPW12595-1	Rocker Switch	Stainless Steel	60 x 80
JPW12595-2	Combo	Stainless Steel	100 x 80
JPW12595-3	Rocker Switch	Aluminium	60 x 80
JPW12595-4	Combo	Aluminium	100 x 80

Cleats Black Nylon

Featuring a flat base and two central fastening holes through the cleat posts.



Part No.	Dimensions L x W x H (mm)
JPW5523	100 x 14 x 20
JPW5524	125 x 18 x 30
JPW5525	150 x 22 x 35
JPW5526	200 x 24 x 40

Contact the office or log in to your online account for pricing.



**Electric****Manual**with Rope,
Cable or
Webbing Strap**Cadet**with Rope or
Webbing Strap**Manual**

without Cable

Manual Trailer Winches

• Cadet with Rope or Webbing Strap

Part No.	Capacity	Gear Ratio	No. Gears	Rope Type	Rope Size	Hook Type	Suits Boat Length
JPW6786	300kg	3:1	Single	Webbing	6m	S hook	Jetskis & Small Tinnies
JPW6787	300kg	3:1	Single	Rope	4mm x 6m	S hook	Jetskis & Small Tinnies
JPW6788	550kg	4:1	Single	Webbing	6m	S hook	up to 4m
JPW6789	550kg	4:1	Single	Rope	4mm x 6m	S hook	up to 4m

• Marine with Rope, Cable or Webbing Strap Strap

Part No.	Capacity	Gear Ratio	No. Gears	Rope Type	Rope Size	Hook Type	Suits Boat Length
JPW6797	550kg	3:1	Single	Rope	4mm x 6m	S hook	up to 4m
JPW6802	550kg	3:1	Single	Webbing	6m	S hook	up to 4m
JPW6807	550kg	3:1	Single	Cable	4mm x 6m	S hook	up to 4m
JPW6798	725kg	5:1	Single	Rope	5mm x 6m	Snap	up to 5.4m
JPW6803	725kg	5:1	Single	Webbing	6m	Snap	up to 5.4m
JPW6808	725kg	5:1	Single	Cable	4mm x 6m	Snap	up to 5.4m
JPW6799	775kg	5:1 / 1:1	Double	Rope	5mm x 7.5m	Snap	up to 6m
JPW6804	775kg	5:1 / 1:1	Double	Webbing	7.5m	Snap	up to 6m
JPW6809	775kg	5:1 / 1:1	Double	Cable	5mm x 7.5m	Snap	up to 6m
JPW6800	1135kg	10:1 / 5:1 / 1:1	Triple	Rope	6mm x 7.5m	Snap	up to 6.7m
JPW6805	1135kg	10:1 / 5:1 / 1:1	Triple	Webbing	7.5m	Snap	up to 6.7m
JPW6810	1135kg	10:1 / 5:1 / 1:1	Triple	Cable	6mm x 7.5m	Snap	up to 6.7m
JPW6801	1500kg	15:1 / 5:1 / 1:1	Triple	Rope	7mm x 7.5m	Snap	up to 7.6m
JPW6806	1500kg	15:1 / 5:1 / 1:1	Triple	Webbing	7.5m	Snap	up to 7.6m
JPW6811	1500kg	15:1 / 5:1 / 1:1	Triple	Cable	7mm x 7.5m	Snap	up to 7.6m

Contact the office or log in to your online account for pricing.



Manual Trailer Winches

- **Marine** without Cable (see below rope, cable or webbing options)

Part No.	Capacity	Gear Ratio	No. Gears	Rope Type	Hook Type	Suits Boat Length
JPW6812	500kg	3:1	Single	none	none	up to 4m
JPW6813	700kg	5:1	Single	none	none	up to 5.4m
JPW6814	775kg	5:1 / 1:1	Double	none	none	up to 6m
JPW6815	1000kg	10:1 / 5:1 / 1:1	Triple	none	none	up to 6m
JPW6816	1500kg	15:1 / 5:1 / 1:1	Triple	none	none	up to 7.6m



Electric Trailer Winches

- **Cadet or Haul-It** with steel cable

Part No.	Capacity	Gear Ratio	Rope Type	Cable Size	Hook Type	Suits Boat Length
JPW6792	900kg	460:1	Cable	4.8mm x 9m	Snap	up to 5.5m
JPW6793	1360kg	460:1	Cable	5.4mm x 9m	Snap	up to 7m
JPW6794	1580kg	729:1	Cable	5.5mm x 10m	Snap	up to 7m



Accessories

- **Winch Mounting Bolts M10 x 75mm 3pk**

Part No.
JPW6688



- **D Shackle Galvanised Steel – Load Rated**

The pin has been painted yellow to indicated it has been load rated.

Part No.	Size	Safe Working Load Limit
JPW6692	8mm	750kg
JPW6694	10mm	1000kg
JPW6697	11mm	1500kg
JPW6699	13mm	3000kg



Contact the office or log in to your online account for pricing.





Scanstrut Flip Pro Plus Dual USB-A & USB-C Socket

- 1x USB-A and 1x USB-C port.
- Fast charge (60W max) up to 2 devices at a time.
- Easy install.
- 32mm dia mounting hole.
- IPX4 waterproof



Part No.

JPW10516

Supplied with an optional front mount bezel

Scanstrut Flip Pro Duo Multi USB-A, USB-C & 12V Socket

- 1x USB-A / 1x USB-C port and 12V power socket.
- Fast charge (60W max) up to 2 devices at a time.
- Easy install.
- 32mm mounting holes.
- IPX4 waterproof when lid is closed.



Part No.

JPW10517

Supplied with an optional front mount bezel

Fuse Box 12way with Fuses

Standard ATS blade fuse or plug-in type circuit breaker.

- Indication lights for when fuse is broken.
- Clip on transparent cover.
- Negative bar.
- 80x Identification stickers.
- Includes 12x fuses.



Part No.

JPW12998

Flush Hatch Cover Pull

Used on deck mounted access hatches, engine covers or floor storage.

- Cast 316-grade stainless steel.
- Includes steel washer & rubber gasket.



Part No.

JPW19233

L x Dia (mm)

56 x 31

Weld-On Rod Holder Stainless Steel Brushed Finish

- Designed for weld on mounting.
- Brushed finish 316 grade stainless steel.
- Tapered & flared design.
- Supplied with a white PVC insert.
- Welded in rod gimbal pin through shaft.



Part No.

JPW6017P

L x Dia (mm)

250 x 50

Hella Marine Round Courtesy Lamp Warm White LED White Rim 12V



- UV resistant enhanced impact acrylic lens.
- Completely sealed.
- Includes a white spacer and surface mounting ring.
- Pre-wired 120mm cable.



Part No.

H61873

Dia x H (mm)

75 x 21



Also available with Stainless Steel Rim [H61874 / H61875]

Hella Marine Easy-Fit LED Courtesy Light Red Light Stainless Steel Cap



- Completely sealed IP67.
- UV, corrosion and impact resistant.
- Ultra low power consumption.
- Pre-wired with marine cable.



Part No.

H61355

L x W (mm)

45 x 31

Also available with White or Blue LED [H61354 / H61356]

Contact the office or log in to your online account for pricing.





SCANSTRUT – RADAR MOUNTS

Scanstrut Modular Dual PowerTowers

The Modular Dual PowerTower has been specifically designed for your radar to be mounted with Satcom, camera or nav lights, creating a perfect off the shelf custom mount.

- Designed to fit the most up to date radars from Garmin, Raymarine, Simrad and Furuno.
- Small mounting footprint, saves space on your roof or flybridge.
- Pre-drilled mounting holes allow the radar to fasten straight to the PowerTower with its own mounting bolts.
- Marine sealant not required.

Available in 3 different sizes - compact, standard or "Open Array" which has been specifically designed for mounting Open Array radars.

Part No.	Model	Length x Height (mm)
JPW10536	Compact	670 x 325
JPW10535	Standard	700 x 525
JPW10534	Open Array	1080 x 584



Scanstrut PowerTower or Wedge Mount for Starlink Flat High Performance

Install Starlink Flat High-Performance with precision on the roof, T-top, flybridge, or radar arch of your powerboat. It guarantees obstacle clearance and positions your Starlink at an ideal 8° angle for optimal connectivity.

- Pre-drilled mounting holes allow Starlink to fasten straight to the PowerTower.
- No need to cut the cable connectors off for installation
- Built-in Scanstrut Cable Seal ensures a watertight installation.

Part No.	Model	L x H (mm)
JPW10468	PowerTower	426 x 340 x 238
JPW10469	Wedge	426 x 340 x 94



Contact the office or log in to your online account for pricing.





JPW MARINE

WHOLESALE MARINE SPECIALISTS

MAY 2024 – NEW PRODUCTS

ATLANTIC PRODUCTS TRAILER PARTS



Spare Wheel Trailer Mounts

Spare wheel mount with fully adjustable universal mounting, made from heavy-duty alloy or galvanised steel and finished in a long lasting Dacromet® anti-corrosion coating.

- Fully adjustable universal mounting.
- Heavy-duty construction.
- Dacromet® finish – lasts 4 times longer than galvanised finish.
- Low maintenance & easy to install.
- Easy access to spare wheel.
- Anti-theft locking bracket.
- Includes padlock and 2 keys.

The small mounts are suitable for Ford & Holden 13" & 14" tyre stud patterns, and the large will also suit Landcruiser 15" tyres.



Part No.	Size	Suits Trailers
JPW6732	Small	Aluminium
JPW6731	Large	Aluminium
JPW6730	Small	Galvanised
JPW6734	Large	Galvanised

Trailer Wobble Rollers

Non marking with a wide profile. The tread is bonded to the hub and wear resistant centre. **JPW6684** is ribbed to minimise skidding.

- Suits a 20mm pin.
- Larger size suitable for a heavier boat.
- Made from Polyurethane.
- Width x Diameter x Bore: 73 x 112 x 22mm.



Part No.	Type	Colour
JPW6684	Ribbed	Grey / Black
JPW6685	Smooth	Blue / Black
JPW6686	Smooth	Black

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

JUNE 2024 – NEW PRODUCTS

UNIMER MARINE



Mooring Spring Compensators



Part No.	Suits Rope (mm)	Length (mm)
JPW3885	10 - 12	332
JPW3886	12 - 16	416
JPW3887	14 - 18	520
JPW3888	20 - 24	600

Unimer Mooring Line Smart Snubber

Fits directly on to the line without the need of a free end, and allows for easy adjustments.

- Sold as a pair.



Part No.	Suits Rope (mm)	L x W x H (mm)
JPW3878	16	70 x 40 x 40
JPW3879	20	87 x 50 x 50

U-Cleat Mooring Spring Compensators

Features a unique removable locking mechanism that allows for fitting without a free end of the line.



Spare Plastcleats

Part No.	Suits Rope (mm)	Length (mm)	Spare Plastcleat
JPW3881	10 - 12	329	JPW3892
JPW3882	12 - 16	412	JPW3893
JPW3883	16 - 20	516	JPW3894

Drainman Bilge Pump - Powered by Nature

Powered by the tugs created on the mooring line from wind, surf and waves - all natural, with no electricity that can fail.

- Suction Height x Length: 2.5m x 8m.
- Supplied with 3m hose.
- **JPW3897**: 3m hose extension.

Part No.
JPW3898



Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

JUNE 2024 - NEW PRODUCTS

EASTUN MARINE



BOAT SEATS

Thick Premium Foam Padding
UV-Stabilised Marine Upholstery
Heavy-Duty Stitching

SEAT SLIDES

Heavy-Duty Anodised Aluminium
Standard 127x127mm (7x7") Bolt Pattern



H52 Compact Helmsman Flip-Up Boat Seat

Colour: Dusty Grey/Black
Bucket style with flip-up bolster.

Part No.	L x W x H (mm)
JPW2795	510 x 670 x 600



CP48 High Back Folding Helm Boat Seat

Colour: Dusty Grey/Black
Folding with pinch-safe locking hinges.
Embossed diamond pattern.

Part No.	L x W x H (mm)
JPW2810	480 x 580 x 600



HM59 Flip-Up Helm Master Boat Seat

Colour: Black/Off-White
Flip-up bolster and arm rests.
Embossed diamond pattern.

Part No.	L x W x H (mm)
JPW2719	530 x 640 x 600



M52S Helm Sports Bucket Boat Seat

Colour: Dusty Grey/Black
Embossed diamond pattern.

Part No.	L x W x H (mm)
JPW2833	530 x 640 x 600



H99 Double Helmsman Flip-Up Boat Seat

Colour: Dusty Grey/Black
Seats two passengers with separate flip-up bolsters.

Part No.	L x W x H (mm)
JPW2839	992 x 670 x 600



ST95 Double Flip-Back Boat Seat

Colour: Dark/Light Grey Carbon
Two-way reversible back.
Seats two passengers.

Part No.	L x W x H (mm)
JPW2836	950 x 570 x 460



Seat Slide Quick Mount Low Profile

Large front handle.

Part No.	L x W x H (mm)
JPW3000	338 x 182 x 40



Boat Seat Twin Slide suits Double Bench Seats

Twin pack with single finger tip slide control.

Part No.	L x W x H (mm)
JPW2998	338 x 182 x 70 (ea)

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

JULY 2024 – NEW PRODUCTS

SIRIUS SIGNAL



Part No.

JPW11020



Sirius Signal EVDS SOS Distress Light

Powered by a high-performance, programmable microprocessor controlling an SOS flash pattern signal flashed through an even brighter and more potent LED, the Sirius Signal SOS Distress Light is both family-safe and easy to use.

The optical design provides an omnidirectional light display for surface rescue craft and a vertical beam visible to aircraft flying overhead.

Improved flotation now even higher off the water, is visible up to 10 nautical miles, and the beam lasts for hours compared to the minutes-long lifespan of traditional pyrotechnic distress signals.

This Electronic Visual Distress Signal (EVDS) is approved by WA DOT and meets regulation 52B requirements in lieu of flares, only if a GPS enabled EPIRB or PLB is also carried (must be worn). See the [Department of Transport's website here](#).

Features:

- Flashes SOS signal for up to 60 hours.
- Runs four times longer than other EVDS's.
- LED power: 75 candelas.
- Switch design: self-cleaning twist-on.
- Accidental switch activation protection.
- Requires 3-C alkaline batteries (included).
- Lanyard included.
- Approved to Western Australian Standards (meets regulation 52B).
- Diameter x Height: 100 x 215mm.
- Weight with batteries: 360g.



Includes a distress flag and quality marine whistle

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000

| Email Orders: sales@jpwmarine.com.au

| www.jpwmarine.com.au



Heavy-Duty Wobble Roller - 26mm Bore

Heavy duty, hard wearing, non-marking polyurethane wobble roller.

- Suitable for aluminium or fibreglass hulls.




Part No.	Colour	Diameter	Width	Bore	Depth
JPW6670	Blue / White	125mm	73mm	26mm	35mm

Trailer Plank C Section

Hard durable UV-stabilised, high density polyethylene bunk with excellent slip properties. Use as an alternative or in addition to trailer rollers.

- Suitable for fibreglass and aluminium hulls.



Part No.	Colour
JPW6761	Blue



Shurflo Faucet White - Manual or Electric

Smooth, easy flow with a washerless ceramic disc design and versatile 360 degree spout rotation.

- Rugged abs plastic design
- Built-in backflow prevention.
- High operating temperatures & pressures.



Part No.	Type	Switch
JPW5021	Electric	12V / 4A
JPW5022	Manual	none

Key Ring Floats with JPW Logo

These highly buoyant key floats will keep your keys safe while out on the water.

- Complete with stainless steel ring clip and printed with official JPW Marine logo.
- Plastic floats: \varnothing 44 x 68mm
- Cork float: \varnothing 50mm

Part No.	Type
JPW4081	Yellow Plastic
JPW4082	White Plastic
JPW4083	Cork



*Custom company logo's available on request.


Deck Foot Switches

Deck mounted, foot operated switch for anchor winches or other high amp applications. Must be used in conjunction with a solenoid.

- Sold as a pair (1x UP switch & 1x DOWN switch).
- Multivolt 12/24V.
- Pre-wired 50mm cable.



Part No.	Colour
JPW6188	White
JPW6189	Black



INOX MX5 Plus Lubricant

For applications where a superior extreme pressure, anti-corrosion, anti-moisture, liquid lubricant or an industrial-quality machine cutting oil is required.

- Will not harm metal points or surfaces, fibreglass, formica, painted or enamel finishes, plastics or neoprene seals.
- Does not become tacky, alter surface tolerances, dry out or wash off with water.
- Non-toxic, non-conductive, non-corrosive and non-staining.



Part No.	Capacity
JPW4504	300g Aerosol

INOX MX8 PTFE Extreme Pressure Grease

Extreme pressure and anti-wear properties gives long service life under high / shock loading conditions from very low to very high temperature environments.

- Prevents scuffing and reduces wear.
- Excellent resistance to water and water wash out, even at elevated temperatures.
- Shear resistant, will not thin out.
- Resists oxidation, will not thicken.



Part No.	Capacity
JPW4507	300g Aerosol
JPW4508	450g Cartridge

Contact the office or log in to your online account for pricing.





Pot Haulers & Trailer Winches



Runva



**Sherpa
WINCHES**



Quick
Nautical Equipment

Vertical Capstan PW912 Pot Hauler Winch



Innovative vertical design allows for easy installation, hiding the motor under the deck for a sleek appearance, perfect for boats with limited deck space. Equipped with a robust motor and durable 316-grade stainless steel head which will endure the most toughest of conditions.

- All in one kit a sleek and seamless looking pot hauler.
- Marine grade hard anodised and sealed aluminium epicyclic gearbox.
- Smooth and silent operation.
- Auto action roller clutch break (will not run back).



Deck switch & circuit breaker supplied

IN STOCK



(Dimensions in mm)



JPW MARINE
WHOLESALE MARINE SPECIALISTS

Quick TB2 Tumbler Capstan Cray Pot Hauler Winch

This high-quality Italian-made winch is the ideal companion for effortless retrieval of craypots or hauling heavy lines.

- Vertical capstan with horizontal motor and gearbox.
- Concealed under deck or gunwale, mount at 90/45° angles.
- Capstan and base crafted from AISI 316 stainless steel.
- Technopolymer corrosion resistant gearbox.

RECOMMENDED



QFDWCB0600000A00
Circuit Breaker
WCB 60Amp

RECOMMENDED



JPW6190
Deck Foot Switch



RECOMMENDED



QFTT641512000B00
Reversing Solenoid
Double Pole 150Amp

Quick
Nautical Equipment

IN STOCK



(Dimensions in mm)

*Does not include: Circuit breaker or switch.

*For forward/reverse operation: Solenoid and switch is required.

Part No.	Watts	Amps Under Load	Voltage	Circuit Breaker
QFSTB0512000XB01	500W	80A	12V	60A

Contact the office or log in to your online account for pricing.





Sherpa Grunter Electric Boat Trailer Winches

A high quality and powerful trailer winch that is fast and strong and delivers high performance from a compact, safe and low maintenance design. The three stage planetary gearbox features high quality cut gears and provides a good balance between speed, pulling power and balancing amperage draw.

- 6.6HP series wound heavy duty motor.
- Genuine Albright solenoid electrics.
- Power in, power out and free spool.
- 316 stainless steel fittings, cross members and drum.
- Electronic brake design ensures positive engagement.
- High speed for faster recoveries.
- Waterproof hoist style wired hand remote.
- Waterproof rating: IP68 (Completely waterproof & dust tight)
- Voltage: 12V (24V available on request).

IP68




JPW6459
Optional 'Plug n Play'
wireless remote kit

IN STOCK

Sherpa
WINCHES



Supplied with
webbing strap
and snap hook.



(Dimensions in mm)

Part No.	Capacity (kg)	Webbing Size
JPW6457	5,500	50mm x 10m
JPW6485	9,000	50mm x 10m

Runva Electric Trailer Winch 11XS

Runva


A compact winch that ticks all the boxes with a massive line pull capacity, reliable and powerful 6.7HP motor, and three stage planetary gearbox. Ideal for boat trailers, tippers, car trailers, chippers, 4X4 use and much more, it can handle even the toughest jobs.

- Small compact model.
- Ratchet brake in gearbox.
- Stainless steel rotary clutch.
- Includes handheld & wireless remote control.
- Ideal for large trailers - boat & car.
- Waterproof rating: IP67 (Dust tight and protected against temporary immersion).
- Voltage: 12V

IP67

STOCK ETA:
SEPTEMBER

Supplied with
synthetic rope



(Dimensions in mm)

Part No.	Capacity (kg)	Gear Ratio	Rope Size
JPW6455	4,990	228:1	10mm x 15m

Runva Electric Trailer Winch 4.5X

Runva

The Runva 4.5X is perfect for a wide variety of applications including trailers such as car, tipper, boat and MUCH more. This winch is small, compact, light and portable thanks to the 2" hitch mounting system included as standard.

- Super compact model.
- Includes handheld remote control.
- Ideal for trailers - boat & car.
- Waterproof rating: IP67 (Dust tight and protected against temporary immersion).
- Voltage: 12V


IP67

STOCK ETA:
SEPTEMBER

Supplied with
synthetic rope



JPW6454
Optional wireless
remote kit



(Dimensions in mm)

Part No.	Capacity (kg)	Gear Ratio	Rope Size
JPW6456	2,041	172:1	6mm x 15m

Contact the office or log in to your online account for pricing.





JPW MARINE

WHOLESALE MARINE SPECIALISTS

AUGUST 2024

NEW PRODUCTS

JPW IS NOW STOCKING WELL KNOWN BIGVEE AND BOATCATCH PRODUCTS

BIGVEE

BIGVEE Bow Stopper


Replaces basic narrow bow stoppers that have limited or no guiding ability. Solid metal frame with strong centre bolt will never bend, even with high boat impacts.

- Made from galvanised steel with protective polyurethane covering.
- Includes secondary lock system to prevent rotating.
- Bow guiding range: 375mm
- Suits trailers that have bow stoppers spacings 75 - 120mm.
- Supplied with spacer rings & high-tensile bolts.



Part No.

JPW6451



Bow Guiding Range: 375mm

Max Bow Angle:
120°

Suits Bow Stop Frame:
75 - 120mm wide



Boatcatch

Boatcatch Trailer Boat Retrieval System

Easy to use boat retrieval system, designed to streamline the process for one or two individuals. Made of 100% 316 marine grade stainless steel. This is an incredibly strong and robust product that comes with a lifetime warranty.

- Universal mounting bracket.
- Fits almost any boat & trailer.
- Only three moving parts.
- Kit includes mounts, bolts and other required hardware.



JPW6448

Standard opening and pin size.



JPW6449

Wider jaw opening for
easier retrieval alignment



Part No.	Type	Suits Boat Length (m)	Boat Weight on water (kg)
JPW6448	Small	4 - 5.9	300 - 1500
JPW6449	Large	6 - 10	Up to 8,000

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

SEPTEMBER 2024

NEW PRODUCTS

Fuel Line Assembly Kit Suzuki Outboards 10mm

- Not to be used with ethanol fuel
- Female fuel tank fitting & engine connection fitting included.



Part No.	Hose
JPW2405	10mm (3/8")

Outboard Adjustable Angle Rigging Flange

Provides protection for cables and wiring as they pass through internal and external wall penetrations.

- Allows alignment to motor.
- Internally threaded to retain the rigging hose.



Part No.	Suits Hose
JPW18079	50mm (2")

Outboard Rigging Hose Union & Fuel Line Port

Guides rigging hoses through the hull and offers a convenient entry point for the fuel hose into the rigging tube.

- Internally threaded to retain the rigging hose.



Part No.	Suits Hose
JPW18080	50mm (2")

Outboard Rigging Flange with Fuel Line Port

Guides rigging hoses through the hull and offers a convenient extra port for the fuel line to pass through, providing immediate access to the primer bulb right next to the outboard.

- Internally threaded to retain the rigging hose.



Part No.	Suits Hose
JPW18081	50mm (2")

Outboard Rigging Hose End Cap

A moulded black vinyl cap for closing off the engine end of the rigging hose, if necessary.

- Protects outboard engine cables and wiring from dirt, abrasion, sunlight, salt, and water.



Part No.	Suits Hose
JPW18082	50mm (2")

Outboard Motor Hydrofoils 40HP to 250HP

Eliminate cavitation and port-posing by forcing the stern up and keeping the bow down.

- Includes stainless steel hardware.



Part No.	Size (mm)
JPW6446	380 x 210 x 210

Gunwale BUMP PVC Rub Rail 53mm Profile Black

Developed to provide a quick and simple installation with hidden fixings without compromising impact resistance.

- Handles curves and 80mm radius without the need to mitre either track or body.
- Easier to fit than traditional D Fender.
- Internal track sold separately (JPW9828).
- Stainless Steel end caps sold separately (JPW9837).



Part No.	Length (m)
JPW9870B	3
JPW9871B	6
JPW9872B	9
JPW9873B	12
JPW9875B	18



JPW9828
Internal Track

Gunwale Rub Rail Rigid PVC 38mm x 3.65m White (C)

Stylish and easy to fit, 38mm PVC rigid body without leg, designed to carry a stainless steel insert for a classic look.

- Sold in pre-cut lengths of 3.65m.
- Stainless Steel insert sold separately (JPW9832).



Part No.	Size (W x L)
JPW9824C	38mm x 3.65m



JPW9832
Stainless Steel Insert

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000 | Email Orders: sales@jpwwmarine.com.au | www.jpwwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

SEPTEMBER 2024

NEW PRODUCTS




IP69K

Surface Mounted Underwater Boat Lights Piranha P4 Series

Introducing the all-new Piranha P4 High-Power, an exciting addition to the proven Piranha Underwater Lighting range. A compact low profile design and perfect for all types of boats, suitable for transom and side mounting on all hull types. Incredibly simple to install with just one small cable entry hole and 3 mounting screws.

- Optical grade high impact polymer base or marine-grade, hard anodised aluminium base.
- Optical grade high impact polymer lens.
- Voltage: Multi-volt 12/24V.
- 60 degree x-beam angle.
- Suitable for use in and out of water.
- Typical LED life expectancy +50,000hrs.
- Over voltage, current, reverse polarity, active thermal protection.



Piranha P4 Single Colour - Polymer Base

- Suits boats up to 7m (25ft) in length.

Power Consumption: 12W

Lumens: 1600

Part No.	LED Colour
JPW12291	Diamond White
JPW12292	Cobalt Blue



Piranha P4 Single Colour - Aluminium Base

- Suits boats up to 14m (45ft) in length.

Power Consumption: 24W

Lumens: 2750

Part No.	LED Colour
JPW12286	Diamond White
JPW12287	Cobalt Blue



Piranha P4 Dual Colour - Aluminium Base

Controlled via a simple on/off toggle switch to produce either a bright white light or a blue light, or strobe both colours randomly.

- Suits boats up to 14m (45ft) in length.

Power Consumption: 24W

Lumens: 2750

Part No.	LED Colour
JPW12288	White / Blue



Piranha P4 Colour Change - Polymer Base

Controlled via a simple on/off toggle switch, and allows continuous synchronisation without costly external controllers.

- Suits boats up to 7m (25ft) in length.

Power Consumption: 12W

Lumens: 2000

Part No.	LED Colour
JPW12293	Colour Change



Piranha P4 Colour Change - Aluminium Base

Controlled via a simple on/off toggle switch, and allows continuous synchronisation without costly external controllers.

- Suits boats up to 14m (45ft) in length.

Power Consumption: 24W

Lumens: 4000

Part No.	LED Colour
JPW12289	Colour Change



Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

SEPTEMBER 2024

NEW PRODUCTS

AQUATIC AV®

products with a watertight reputation



Aquatic AV RGB Marine Speakers Pro Sport 6.5"

Enhance your audio experience with the Pro Sport speakers with RGB cone illumination. Featuring co-axial technology, they provide a perfect blend of high-end treble and rich bass for fuller, crisper sound.

- Black grill with variable RGB LED cone illumination.
- Install anywhere with fully waterproof, UV, and salt/fog resistant protection.
- Full-range output with a frequency response of 60Hz to 20kHz.
- Polypropylene cone, ferrite magnets, and UV resistant grill and basket material.
- Supplied with stainless steel mounting hardware and template.
- Cut-out: ø 130mm
- Diameter x Depth: ø 175 x 88mm
- Sold as a pair.

IP67



Part No.	MPN	Grill Colour
JPW88537	PX312	Black

Aquatic AV RGB Marine Subwoofer Pro Sport 10"

High-performance subwoofer with intense 400W power and RGB cone illumination. This subwoofer is extremely effective at enhancing sound, improving vibrations, and built to last as long as the music does.

- Black grill with variable RGB LED cone illumination.
- Install anywhere with fully waterproof, UV, and salt/fog resistant protection.
- Frequency response of up to 1,000 Hz guarantees a rich, high-quality sound.
- Polypropylene and Santoprene Surround cone, ferrite magnets, and UV resistant grill and basket material.
- Supplied with stainless steel mounting hardware and template.
- Cut-out: ø 230.5mm
- Diameter x Depth: ø 253 x 187mm
- Sold individually.

IP67



Part No.	MPN	Grill Colour
JPW88538	PX212	Black

Aquatic AV RGB Marine Speakers Elite Series 6.5"

The innovative RGB illumination technology provides a spectrum of colours to complement your mood and music. Rated at 240W total power (120W RMS) output per pair, these speakers deliver outstanding audio quality even in high background noise installations like boats.

- White or Black grill with variable RGB LED cone illumination.
- Install anywhere with fully waterproof, UV, and salt/fog resistant protection.
- Full-range output with a frequency response of 55Hz to 20kHz.
- Polypropylene cone, ferrite magnets, and UV resistant grill and basket material.
- Supplied with stainless steel mounting hardware and template.
- Cut-out: ø 130mm
- Diameter x Depth: ø 175 x 94mm.
- Sold as a pair.

IP67



Part No.	MPN	Grill Colour
JPW88534-1	EL423	White
JPW88535-1	EL424	Black



Aquatic AV RGB Controller

Unleash your creativity with every color of the rainbow at your fingertips. Register your speakers or subwoofer with Aquatic AV, and pair with the app for maximum convenience and ultimate colour control.

- 10 amps of total power.
- Built-in microphone that seamlessly syncs the RGB lights to the rhythm of the music.
- Two tabs on the top and bottom of the device allow for easy installation.
- Multi-colour changing modes, featuring 15+ integrated modes for a variety of moods.



Part No.	MPN
JPW88547	RG100



Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

SEPTEMBER 2024

NEW PRODUCTS

Handheld Remote Control



Quick
Nautical Equipment

Pocket Transmitter



Radio Receiver



The latest from Quick: RRC Plus Handheld remote controls, pocket transmitters and radio receivers with a higher frequency (869.8 mhz) aimed to improve performance, reduce interference, and enhance user experience.

Quick Wireless Hand-Held Remote Controls


Remote transmitter used to control your vessels anchor winches, thrusters, cranes and davits from anywhere on your vessel.

- Microcontroller-operated functions.
- FSK modulation and carrier frequency 869.8Mhz.
- LED indication for transmission feedback and low battery.
- Floats when dropped in water.
- Possibility to control more receivers with one transmitter.
- Two functions can be activated at the same time.
- Works with rechargeable batteries.
- LED backlit keyboard.
- L x W x D: 60 x 47 x 23mm



H04+

Includes lanyard



H02+

HT4+

H12+

HT8+

Quick Radio Remote Control Pocket Transmitter

Same features as the hand-held remotes, in a handy pocket sized unit.

- L x W x D: 119 x 61 x 35mm

IP67



P02+

P04+

PT4+

PW4+

Part No.	Model
QFRRRC P02P000A00	P02+
QFRRRC P04P000A00	P04+
QFRRRC PT4P000A00	PT4+
QFRRRC PW4P000A00	PW4+

Quick Radio Receivers

Can be programmed to receive signals from multiple transmitters allowing for multiple applications per unit.

- LED indication & 7-segment display.
- 50 transmitters can be stored.
- Programmable digital filter.
- Possible connection to an external antenna.
- L x W x D: 143 x 142 x 62mm



Part No.	Channels
QFRRRC R02P000A00	2
QFRRRC R04P000A00	4
QFRRRC R06P000A00	6
QFRRRC R08P000A00	8
QFRRRC R10P000A00	10
QFRRRC R12P000A00	12

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

OCTOBER 2024

NEW PRODUCTS

NARVA[®] EXPRESS YOURSELF

Narva EX2 LED Hybrid Pattern Light Bars

Introducing the NARVA EX2 light bar range, designed for DIY enthusiasts. Versatile for roof or bullbar mounting, they're perfect for fleet, transport, and marine applications.

With superior optical design, they provide an efficient hybrid beam pattern for exceptional distance and width. The EX2 lights are water and dust resistant, submersible, and durable, featuring a hard-coated polycarbonate lens. Their slimline design suits various vehicles, including boats and 4WDs.


Each model includes a stealth black lens protector and interchangeable colour trims - standard options are Electric Blue and Slate Grey, with six additional colours also available upon request. Installation is simplified with patent-pending internal switching technology, eliminating the need for a wiring harness.

Features:

- Waterproof light bars, available single or double row.
- Three lengths available: 250mm (10"), 508mm (20") or 760mm (30").
- Voltage: 12/24V with reverse polarity protection.
- Virtually unbreakable UV resistant, hard coated polycarbonate lenses.
- Die-cast aluminium housing with glass-filled composite bracket.
- Interchangeable colour trims.
- Rust, corrosion and UV protected.
- Dust tight and 100% waterproof.
- Clever harness-free installation, easy for the DIY enthusiast.
- 7 Year 'NO FAULT' warranty.


IP69K

Single Row



N72830



N72838




N72846


Double Row



N72834



N72842



N72850

With EXceptional beam pattern performance, EXtra-easy installation, EXceptional build quality and EXtensive customisation options to EXpress yourself.

SKU:	N72830	N72834	N72838	N72842	N72846	N72850
Series:	10" Single Row	10" Double Row	20" Single Row	20" Double Row	30" Single Row	30" Double Row
Dims (LxWxD):	268 x 71 x 63.5mm	271 x 94 x 76.5mm	522 x 71 x 63.5mm	531 x 94 x 76.5mm	776 x 71 x 63.5mm	780 x 94 x 76.5mm
LEDs:	8 x 5W Cree LEDs	16 x 5W Cree LEDs	18 x 5W Cree LEDs	36 x 5W Cree LEDs	28 x 5W Cree LEDs	56 x 5W Cree LEDs
Current Draw:	1.93A @ 13.5V 0.99A @ 28V	3.7A @ 13.5V 1.78A @ 28V	4.4A @ 13.5V 2.2A @ 28V	7.2A @ 13.5V 3.5A @ 28V	7.1A @ 13.5V 3.45A @ 28V	11.1A @ 13.5V 5.3A @ 28V

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au





BoatBuckle Retractable Tie-Down with Stainless Steel S hooks

These retractable ratchet strap tie-downs are the ultimate system for convenience, style and innovative trailer boat rigging.

They feature automotive style webbing, anti-corrosive construction, and sturdy coated S hooks.

Available in stainless steel for brackish or saltwater environments.

Features:

- Permanent one-bolt installation.
- Self-retracting webbing.
- Anti-corrosive construction.
- Break strength: 680kg /each.
- Safe Working Load: 226kg /each.
- Sold as a pair.



Part No.	Width (mm)	Length (m)
JPW6603	50	1.09



Universal Mounting Bracket Kit for Retractable Tie-Down

Universal Mounting Bracket Kit for flexible mounting options of the BoatBuckle Retractable Tie-Downs.

Features:

Break strength: 2.2 tonnes.

Safe Working Load: 755kg.



Part No.
JPW6605



Contact the office or log in to your online account for pricing.





Kwik-Lok Transom Tie-Down with Stainless Steel S Hooks

- Transom tie down with Kwik-Lok buckle.
- Quality stainless steel components.
- Break strength: 453kg /each.
- Safe Working Load: 150kg /each.
- Sold as a pair.

Part No.	Width (mm)	Length (m)
JPW6591	25	1.06
JPW6592	50	0.6
JPW6593	50	1.2
JPW6594	50	1.8



Ratchet JetSki Tri-Down with Coated S Hooks

- Tri-down (3 way strap) perfect for jetskis/PWC's.
- Durable nylon webbing and 3x nylon coated steel S-hooks.
- Built-in nylon soft-loop hook to protect the gel coat.
- Break strength: 544kg.
- Safe Working Load: 180kg.
- Sold individually.

Part No.	Width (mm)	Length (m)
JPW6579	25	2.4



CamBuckle JetSki Tri-Down with Coated S Hooks

- Tri-down (3 way strap) perfect for jetskis/PWC's.
- Durable nylon webbing and 3x nylon coated steel S-hooks.
- Built-in nylon soft-loop hook to protect the gel coat.
- Break strength: 544kg.
- Safe Working Load: 180kg.
- Sold individually.

Part No.	Width (mm)	Length (m)
JPW6579	25	1.8



RodBuckle Retractable Rod Hold-Down System Gunwale/ Deck Mount

- Attractive and functional rod hold-down for gunwale or deck mounting.
- Securely locks into position on the deck and neatly retracts when not in use.
- PVC extrusion coated polyester strap grips rods and resists hook penetration.
- Sold individually.

Part No.	Width (mm)	Length (m)
JPW6606	38	600



Protective Boat Pads for Tie Down Straps

- Provides maximum protection for boat surfaces.
- UV resistant, high visibility yellow.
- Sold as a pair.

Part No.	Suits Width (mm)
JPW6575	25
JPW6576	50



Webbing straps not included

Kwik-Lok Gunwale Tie-Down with Stainless Steel S Hooks

- Gunwale tie down with Kwik-Lok buckle.
- Protective web pad to keep buckle hardware from rubbing on boat surfaces.
- Quality stainless steel components.
- Break strength: 453kg.
- Safe Working Load: 150kg.
- Sold individually.



Part No.	Width (mm)	Length (m)
JPW6597	50	3.04
JPW6598	50	3.96
JPW6599	50	4.87
JPW6600	50	6.09



Gunwale Tie-Down Ratchet with Stainless Steel S Hooks

- Top quality with ratchet buckles
- Stainless steel S-hooks.
- Break strength: 453kg.
- Safe Working Load: 150kg.
- Sold individually.



Part No.	Width (mm)	Length (m)
JPW6595	25	3.65
JPW6599	25	5.48



Contact the office or log in to your online account for pricing.





SHOCKWAVE

MARINE SUSPENSION SEATING

COMING SOON

ESTIMATED WAREHOUSE
RESTOCKING DATE: 8/11/24

SPECIAL ORDERS
AVAILABLE UPON REQUEST



Shockwave is a Canadian company who design and manufacture marine suspension seats for professional and recreational markets. From recreational boaters to military vessels, they develop the best suspension bases on the planet.

SHOCKWAVE S5 Sentinel Suspension Seat Base

Suspension base provides comfort and safety to boaters and offers a smoother, safer and more comfortable ride, protecting occupants from the shock of wave impact.

- Custom tuned and valved, fully adjustable marine FOX FLOAT H2O shock absorber.
- Suspension travel: 4" vertical / 1.5" forward.
- Mitigating deceleration associated with wave impacts.
- Adjustable compression and rebound rate.
- Minimal parts count and simple marine-grade aluminium die cast construction.
- Stable 8 pivot design for higher loads and a smoother ride.
- High life cycle IGUS bushings.
- 316-grade stainless steel hardware.
- Easy to mount and adapt to current seating.



JPW2989

Required: Shock Pump
& Gauge to operate.



JPW2942

Stainless Steel version
Available 2025

Part No.	Colour	L x W x H (mm)
JPW2939	Black	368 x 273 x 224
JPW2940	White	

SHOCKWAVE Commander Mid-Back Seat

A lightweight, robust boat seat that comes equipped with folding armrests, a storage pocket, machined aluminum seat frames and fiberglass seat backs, and Corbin cushions. The Commander boat seats are the definition of quality and strength, made using the best materials available today.

- Lightweight but robust.
- Folding arm rests.
- Storage pocket.
- Weight: 13.5kg.

Storm White

Onyx Black

Heavy Duty
Onyx Black

S5 Suspension Base
sold separately



SPECIAL ORDER

IN STOCK NOV 2024

Part No.	Colour	L x W x H (mm)
JPW2927	Onyx Black	
JPW2928	Heavy Duty Onyx Black	617 x 598 x 607
JPW2929	Storm White	

Contact the office or log in to your online account for pricing.





SHOCKWAVE Commander Hi-Back Seat Heavy Duty Black

A robust boat seat perfect for long days on the water when neck and head support is preferred.

- Folding armrests
- Storage pocket
- Machined aluminum seat frames
- Fiberglass seat backs
- Black Corbin cushions.
- Heavy duty & robust.
- High 890mm back rest.
- Folding arm rests.
- Storage pocket.
- Weight: 13.5kg.



Part No.	L x W x H (mm)
JPW2930	674 x 595 x 890

SHOCKWAVE S5 Jockey Suspension Seat

Jockey seat offers solid performance in an affordable, lightweight and compact package. It is outfitted with an integrated 4-inch (100 mm) FOX Float H2O air sprung shock suspension and seat frame to minimize weight.

- Closed cell foam cushions.
- Heavy duty marine grade vinyl upholstery.
- Light and very compact, suitable for retro fits and new builds.
- Suits light to moderate ocean conditions, moderate speeds.



Part No.	L x W x H (mm)
JPW2931	504 x 364 x 584

SHOCKWAVE Seat Raiser Box 150mm (6inch)

Pre-drilled 150mm (6") riser box for adding extra height below the Shockwave Sentinel suspension base.



Part No.	L x W x H (mm)
JPW2995	440 x 365 x 152

The Shockwave accessories below are designed to fit to Shockwave Commander seats and may not fit to off-brand marine seats. Please ensure your seat bolt pattern will work with Shockwave Swivel & Slides or consider the adapter kit.

SHOCKWAVE S5 Sentinel Seat Swivel & Slides

Slide:

Purpose-built slide offers 5-inches of fore-aft travel, allowing for comfortable seating positions for wide variety of occupants and users.



Swivel:

360° swivel with a positive lock that engages every 22.5° (16 positions).



Swivel & Slide:

Combination of the two above.

Part No.	Type
JPW2984	Slide
JPW2985	Swivel
JPW2986	Swivel & Slide



SHOCKWAVE S5 Sentinel Seat Swivel & Slide 5x12inch Adapter Kit

Allow non-Shockwave brand seats with 5" x 12" bolt pattern, to fit to Shockwave Swivels & Slides.

- Accommodates both upward and downward bolt patterns.

Part No.
JPW2987



SHOCKWAVE Bulkhead Mount Adjustable Footrest

Height adjustable folding, foot operated footrest designed to be bulkhead mounted on a console.

- Stable platform 430mm wide.
- 150mm of travel.

Part No.
JPW2991



SHOCKWAVE Seat Cup Holder with Aluminium Bracket

Suitable for installation on the armrest of the Shockwave Commander seats.

Part No.
JPW2990



Contact the office or log in to your online account for pricing.





JPW MARINE

WHOLESALE MARINE SPECIALISTS

NOVEMBER 2024

NEW PRODUCTS



BOAT SEATS

HM58 Flip-Up Helm Master Boat Seat

Large, premium quality Flip-Up Boat Seat, designed to provide superior comfort when operating your boat for long periods of time.

- Anodised aluminium and stainless-steel frame.
- Heavily padded for maximum comfort.
- Sturdy back and arm supports.
- UV-resistant marine vinyl upholstery and heavy-duty stitching.
- Flip-up bolster and arm rests.
- Dimensions (LxWxH): 650 x 582 x 620mm



Flip-up Bolster

Part No.	Vinyl Colours
JPW2718	Black Smooth / Black Carbon
JPW2720B	White Smooth / White Texture
JPW2721B	Dusty Grey / Dark Grey Texture
JPW2722B	Off-White Texture / Black Texture

CP48 High Back Folding Helm Seat

A premium folding boat seat designed for comfort and functionality with a high back design for great lumbar support.

- Heavy duty moulded plastic inner frame with pinch-safe locking hinges.
- Thick premium foam padding.
- UV stabilised marine grade vinyl
- Heavy duty stitching.
- Dimensions (LxWxH): 580 x 950 x 460mm



Part No.	Vinyl Colours
JPW2809	Off-White Texture / Dark Blue Texture
JPW2810	Dusty Grey / Black
JPW2811	Dark Grey Texture/Dusty Grey/Dark Blue Texture

ST95 Double Flip-Back Seat

This double flip-back seat has a reversible back that allows you to face in either direction. Featuring high grade padded foam and covered in heavy duty marine grade vinyl upholstery.

- Seats two passengers.
- Requires two brackets for mounting (see: JPW2998).
- Dimensions (LxWxH): 570 x 950 x 460mm

Part No.	Vinyl Colours
JPW2835	Off-White
JPW2836	Dark Grey/Light Grey Carbon



Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000 | Email Orders: sales@jpwmarine.com.au | www.jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS

JANUARY 2025

NEW PRODUCTS

Ocean Signal rescueMe EPIRB1 121.5MHz + GPS

The Ocean Signal EPIRB1 is a valuable safety device for anyone who spends time on the water. It can provide peace of mind knowing that you have a way to call for help in an emergency.

When activated, the EPIRB1 transmits a distress signal on the 406 MHz satellite frequency, which is monitored by search and rescue satellites around the world. The signal includes your location information, which allows search and rescue teams to quickly locate you.

The retractable antenna provides maximum protection and a reduced outline for stowage. When required the antenna is easily deployed with a gentle pull.

A simple protective tab over the operating keys prevents inadvertent activation, yet allows for easy operation when required. The EPIRB also features two high brightness strobes to maximise visibility in low light conditions.

The rescueME EPIRB1 is the world's most compact EPIRB that can always be on hand. It's small size allows it to be easily retained within its quick release bracket or placed in an emergency grab-bag or life raft.

Features:

- Fast accurate positioning with 66 channel GPS.
- 406Mhz link via satellite to Emergency Services.
- 121.5MHz Homing Beacon to aid final location by search and Rescue craft.
- Retractable antenna.
- Quick manual release bracket (screws provided).
- Secure lanyard.
- 30% smaller, compared to other products approved to recognised standards.
- Height: 178mm / Diameter: 89mm
- 10 year battery life.
- 48+ hours operational life.
- 5 year warranty.



Part No.

JPW88213



Single handed activation



Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmachine.com.au

www.jpwmachine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

JANUARY 2025


NEW PRODUCTS



Heavy Duty D Shackles with Spring Loaded Captive Pin Stainless Steel

Made from premium 304-grade stainless steel, with a spring loaded captive pin that stays securely in place and can never be fully removed or lost.

- For general use, not rated for lifting.



* SWL (safe working load) is approx 25% of breaking load.

Part No.	Dimensions (mm)					SWL* (kg)
	Ø A	Ø B	C	D	E	
JPW4814	8	10	27	17	6.5	670
JPW4815	10	12	35	19	8.5	1070
JPW4817	12	14	42	22	10.5	1670
JPW4818	17	20	49	30	15	3000

Heavy Duty Bow Shackles with Spring Loaded Captive Pin Stainless Steel

Made from premium 304-grade stainless steel, with a spring loaded captive pin that stays securely in place and can never be fully removed or lost.

- For general use, not rated for lifting.




* SWL (safe working load) is approx 25% of breaking load.

Part No.	Dimensions (mm)					SWL* (kg)
	Ø A	Ø B	C	D	E	
JPW4821	8	10	30	17	7	670
JPW4822	10	12	36	20	9	1070
JPW4823	13	15	45	22	11	1670
JPW4824	19	22	57	29	16	3000

Long D Shackle HD with Captive Pin Stainless Steel

Made from premium 304-grade stainless steel, with a spring loaded captive pin that stays securely in place and can never be fully removed or lost.

- For general use, not rated for lifting.



* SWL (safe working load) is approx 25% of breaking load.

Part No.	Dimensions (mm)					SWL* (kg)
	Ø A	Ø B	C	D	E	
JPW4816	10	13	65	21	8.5	1070

Anti-theft Chain Retaining Clips

Used to secure shackles to a chain, preventing them from coming loose or detaching.

- Internal dimension on the chain: 15mm
- Wider part at the top of the clip: 20mm

Part No.	Pack
JPW4826	2
JPW4827	6



COUNTER TOP DISPLAY AVAILABLE NOW

Interested in one?
Refer to part number: DISPLAY02

FREE

27cm WIDE
33cm LONG
30cm HIGH

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000 | Email Orders: sales@jpwwmarine.com.au | www.jpwwmarine.com.au





Flush Hatch Latch Black with Turning Lock

Black ABS plastic flush hatch latch with concealed fastenings.

- Adjustable turning lock arm.
- Water resistant seal.



Part No.	Cut-out (mm)	Overall Dia (mm)	Depth (mm)
JPW19231	63	75	60

Steering Wheel Cruiser Aluminium 350mm 3 Spoke

Aluminium 3 spoke steering wheel with black polyurethane grip and plastic, silver painted inserts.

- Fits a standard 3/4" tapered shaft.
- Supplied with a centre hub, cap & screws.




Part No.	Diameter (mm)
JPW17867	350

Multipurpose Board Rack Stainless Steel Rail Mount Support Arm (Pair)

Convenient and space-saving storage solution, perfect for kayaks, surfboard or paddle boards.

- Made from 304-grade stainless steel.
- Heavy duty rail mount brackets (suits 20-25mm rails).
- Sold as a pair.



Part No.	Dimensions LxH (mm)
JPW6168	400 x 640

Steering Wheel Montecristo Black & Stainless Steel 350mm

ULTRAFLEX

3 spoke boat steering wheel with black polyurethane leather look grip, 304-grade stainless steel spokes and black painted center cap with chromed lens.

- Fits a standard 3/4" tapered shaft.
- X63 Hub is required.



Part No.	Diameter (mm)
JPW18890	350

Steering Wheel Montecristo Black & Aluminium 350mm

ULTRAFLEX

3 spoke boat steering wheel with black polyurethane leather look grip, silver aluminum spokes and black painted center cap.

- Fits a standard 3/4" tapered shaft.
- X63 Hub is required.




Part No.	Diameter (mm)
JPW18891	350

Gunwale Black Rub Rail Rigid PVC 38mm

Stylish and easy to fit, 38mm PVC rigid body with a small return, designed to carry 19mm stainless steel insert for a classic look.

- Sold in pre-cut lengths of 3.65m.

Stainless steel insert (JPW9832) to suit both 38mm profiles - sold separately.



Part No.	Profile Type	Length (m)	Also available in white:
JPW9824B-BLK	Type B (with lip)	3.65	JPW9824B
JPW9824C-BLK	Type C (without lip)	3.65	JPW9824C

Steering Wheel Imperiale Black & Aluminium 350mm

ULTRAFLEX

3 spoke boat steering wheel with black polyurethane grip, brushed anodised aluminium spokes with polished edges and black painted cover & chrome plated cap.

- Fits a standard 3/4" tapered shaft.
- Hub and center cap included.



Part No.	Diameter (mm)
JPW18892	350

Contact the office or log in to your online account for pricing.





Bennett Marine Joystick Control for BOLT Electric Trim Tab Systems



BOLT Joystick helm control acclaimed for its instinctive and intuitive interface.

- Connects directly to your actuators with plug-and-play connectors.
- Auto tab retraction (tabs retract up when the ignition is powered off).
- Mounting hole size: 63.5mm (2.5").
- Includes 3ft (900mm) cable.



Part No.

JPW16325

LED Bi-Colour Navigation Bow Light 12V

Compact and durable bi-colour LED light with flat base designed for horizontal deck or bow mounting.

- Minimum visible distance of 2 nautical miles.
- 12V operating voltage.
- 0.15A draw.
- Pre-wired 150mm cables.

IP66



Part No.

JPW1639

Dia (mm)

60


Height (mm)

50

Ultimate Bow Stop Roller

UV-resistant, polyurethane bow roller with a unique 3-piece construction, extending wider for improved support.

- Supplied complete with bolt, washers and nyloc nut.



Part No.	Type	Dimensions (mm)					
		Ø A	Ø B	C	D	E	F
JPW6915	75mm (3")	128	103	13	70	45	~ 5
JPW6916	100mm (4")	185	132	17	96	50	~ 10

Shurflo Waterguard In-line Drinking Water Filter with 1/2 inch Barbs



Water washed coconut shell carbon increases filter efficiency and life.

- Improves taste and reduces chlorine & odor
- Filters up to 6,000 gallons (22,712L)
- Includes 1/2" hose barbs.

Part No.

JPW3573



Peter G's Toilchem Pink Toilet Cleaner

Formaldehyde-free, concentrated toilet cleaner and deodoriser for waste holding tanks.

- Contains Benzalkonium Chloride 7.5%.
- More environmentally friendly ingredients than the Green or Blue Toilet Cleaner.



Part No.

JPW7085

Capacity

1L

JPW7086

2.5L

JPW7087

5L

Peter G's Concentrated Dishwashing Liquid

Pleasantly fragranced, biodegradable liquid which is mild and gentle on hands.

- Specifically formulated to foam in hard or salt water.



Part No.

JPW7067

Capacity

250mL

JPW7068

1L

JPW7069

5L

Compact Easy-Fit Water Separating Fuel Filter

Easy-Fit mini fuel filter that suits outboard motors up to 70HP.

- Compact head 80mm wide (excluding hose barbs) & 77mm deep.
- Suitable for 2 stroke and 4 stroke fuel - NOT diesel.



JPW2653

JPW2655

Drain valve will never drip!

Part No.

JPW2653

Type

Fuel Filter Element Only

JPW2655

Filter, Clear Bowl and Nylon Head

Contact the office or log in to your online account for pricing.





JPW MARINE

WHOLESALE MARINE SPECIALISTS

JANUARY 2025

NEW PRODUCTS

Asado Stainless Steel Boat BBQ with Removable Rail Mount

The Asado Boat BBQ features a sleek, compact design with a large cooking area. It is specifically designed to fit a 25mm diameter rail. Once the mount is attached to the existing rail, the BBQ can be easily slotted on and off, allowing for quick installation and removal when not in use.

Features:


- Overall size: 385 x 325mm.
- Cooking area: 380 x 320mm.
- Stainless steel BBQ.
- Drop charcoal tray and grill.
- Dishwasher safe.
- Fits 25mm boat rail.
- Fitted in minutes.
- Removable from rail mount for easy storage.

Kit contains:

- Boat BBQ
- Clamp for 25mm rail
- Charcoal tray
- Cooking grill
- 1x instant BBQ

Part No.

JPW5083



*Using Instant BBQ tray.
Follow instructions for use on
the Instant BBQ packaging.
Replacement charcoal trays can
be purchased from local BBQ
store or Bunnings.*



*Using the charcoal tray & grill
Place charcoal tray in the frame
and add sufficient coals and light.
Place grill on top carefully.*

Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

| Email Orders: sales@jpwwmarine.com.au

| www.jpwwmarine.com.au





JPW MARINE

WHOLESALE MARINE SPECIALISTS

MARCH 2025

NEW PRODUCTS



OceanSignal rescueMe EPIRB1 Pro Float Free 121.5MHz + GPS

The world's most compact 406MHz EPIRB featuring a 10-year battery life, 121.5MHz homing beacon, and a high-brightness LED strobe light for visibility. It also comes complete with a float-free housing for automatic deployment and activation in distress situations, along with an adapter for retrofitting to older EPIRB models.

- Fast accurate positioning with 66 channel GPS.
- 406Mhz link via satellite to Emergency Services.
- 121.5 MHz Homing Signal.
- Housing (L x W x H): 191 x 121 x 237mm
- High Intensity Strobe.
- 10 year battery life.
- 2 year warranty.



Float Free Housing



Part No.	Overall Size L x W x H (mm)
JPW88214	89 x 89 x 178 (Excluding Antenna)

OceanSignal rescueME MOB1 Lifejacket Light

With an integrated DSC transmitter, this tiny lifejacket light will broadcast your exact location to nearby vessels and onboard systems within 15 seconds, with a range of up to 5 miles. Featuring a robust design, long battery life, and a built-in strobe light for visibility, the MOB1 provides two methods of rapid position communication.

- Integrated DSC transmitter (Digital Selective Calling).
- AIS (Automatic Identification System).
- Simple life jacket integration.
- Fast accurate positioning.
- Automatic activation.
- High intensity strobe.
- 7 year battery life.
- 24 hours operational life.
- 5 year warranty.



Part No.	Overall Size L x W x H (mm)
JPW88219	100 x 27 x 134

OceanSignal rescueMe PLB1 Personal Locator Beacon

A compact, lightweight personal locator beacon with one handed push button activation, it transmits a distress signal to global rescue authorities via the Cospas-Sarsat satellite network. Featuring a rugged build, long battery life, ultra-bright strobe light, and easy antenna deployment, the PLB1 offers peace of mind in remote locations.

- Unique mounting clip - easily fits to lifejacket
- High brightness strobe light >1candela.
- Free to use, no subscription charges.
- 66 channel GPS receiver.
- Waterproof to 15m.
- Retractable Antenna.
- 24+ hour operational life.
- 7 Year Battery Life.



Part No.	Overall Size L x W x H (mm)
JPW88218	51 x 33 x 75

Contact the office or log in to your online account for pricing.



Phone: (08) 6253 3000

Email Orders: sales@jpwmarine.com.au

www.jpwmarine.com.au



Scanstrut ROKK Mini Device Mounts - Bases Only

These bases, when paired with Scanstruts ROKK Mini adjustable body (JPW10485) and universal secure grip (JPW10472), will mount smartphones, handheld GPS and other small devices

- For devices up to 1.2kg



JPW10481



JPW10482



JPW10483



JPW10484

SCANSTRUT



Complete assembly -
Top & Body sold separately
(phone not included)

Also available:



JPW10486 Screw Down Base
JPW10487 Self-Adhesive Base

Part No.	Description	Suits / Application
JPW10481	Rail Mount Base	19-34mm diameter rails
JPW10482	Cable Tie Base	60-100mm diameter
JPW10483	Suction Cup Base	Clean, non-textured surface
JPW10484	Kayak Track Base	All major kayak track profiles

NMEA 2000 (N2K) T-Connector Tee Adapter for Marine Networking

Easy accessory addition to your NMEA 2000 network, compatible with chart-plotters, depth sounders, and more.

- Plug-and-play installation, no tools required.
- Durable, weather-resistant for marine use.



Part No.
JPW15571

NMEA 2000 (N2K) 4-Way Connector for Marine Networking Systems

4 connection ports for maximum expandability, this connector is an easy accessory addition to your NMEA 2000 network, compatible with chart-plotters, depth sounders, and more.

- Plug-and-play installation, no tools required.
- Durable, weather-resistant for marine use.



Part No.
JPW15572

Rod Holder Stainless Steel 30deg Head with Gasket, Cap & Insert

Flush mounted rod holder made from highly polished 316-grade stainless steel. The 30deg head has rounded corners and 3 holes for mounting.

- Includes rubber shaft insert, gasket & cap.
- Solid stainless steel gimbal pin through shaft.
- 3 x 8mm countersunk fastening holes.



Also available with Straight Head (JPW5952).

Part No.	Shaft I.D. with insert (mm)	Length (mm)	Head Size (mm)	Cut-out (mm)
JPW5952	41	210	115 x 90	51

Heavy Duty Battery Switch 350A 12-48V 4-Position (1-2-Both-OFF)

Heavy duty battery switch provides reliable power control for boats, RVs, vehicles, and off-grid systems. Its 4-position design (1-2-Both-OFF) allows easy battery management, preventing drain and ensuring safety.

- 350A Continuous / 1500A Peak (12V) Capacity.
- Durable ABS housing & copper studs (M8 / 5/16").
- Supports 12V-48V DC systems.
- Compact & easy to install.
- Integrated cover for short-circuit protection.
- Removable side panels.
- Includes stainless steel mounting screws and protective caps.



Part No.	Continuous Rating	Peak Capacity	L x W x H (mm)
JPW6132	350A	1500A	101 x 101 x 89

NMEA 2000 Drop Cables for Marine Networking Systems

Easily connect instruments, displays, and devices to the network, eliminating tangled wires for a clean, efficient setup.

- Rugged and waterproof for reliable performance.
- Plug-and-play compatibility with NMEA 2000.
- Ensures clear, uninterrupted data transmission.
- Each drop cable requires a spare T-Piece connection.



Part No.	Length (m)
JPW15577	0.5
JPW15578	1
JPW15584	4

Contact the office or log in to your online account for pricing.





LED Illuminated Sealed Rocker Switch with Actuator Cover - LED Light Bar

Water resistant LED illuminated sealed rocker switch with laser etched actuator cover.

- Blue or Red LED illumination
- Laser etched text and logo "LED Light Bar".
- ON/OFF switch function.
- Amp rating 20A @ 12V / 10A @ 24V.



IP65

JPW12492
Cover Only



Part No.	LED Colour
JPW12578	Blue
JPW12579	Red

Stainless Steel Switch Panel Faceplates (No Switches)

Sleek 316-grade stainless steel switch panel faceplates without switches, for custom build your own panels.

- Includes mounting screws.



JPW12926
4 Gang



JPW12927
6 Gang



JPW12928
8 Gang

Part No.	Gang	L x W (mm)
JPW12637	4	80 x 80
JPW12638	6	110 x 80
JPW12639	8	140 x 80



LED switches sold separately

Fuse Box Blocks

Standard ATS blade fuse or plug-in type circuit breaker with clip-on transparent cover and indication lights for when fuse is broken.

- Mounting screws supplied.
- Negative bar.



Includes 80x identification stickers and fuses.



JPW12998
12-way



JPW12997
6-way

Part No.	Type	L x W x H (mm)	Fuses Included
JPW12997	6-Way	88 x 85 x 35	6x 5A
JPW12998	12-Way	140 x 85 x 35	3x (of each) 5A / 10A / 15A / 20A

Hella Marine EuroLED 95 Gen2 Downlight Spring Clip with Stainless Steel Rim



The EuroLED 95 Gen2 range of lights are completely sealed, highly impact and shock resistant for an ultra long service life. Made in New Zealand, they can be installed almost anywhere on board, interior or exterior, wet or dry.

- Square or Round shape with white, warm white or dual colour LED's.
- 316-grade stainless steel rims with spring clip installation.
- Ultra low power consumption.
- UV, corrosion and impact resistant.
- Smooth diffused lens.
- Dimmable with H62534 dimmer (sold separately).

IP69



H64870



H64873



H64876



H64879

Power Consumption: Warm White 6W

White 6W

Red 2W

Blue 3W

Voltage:

Multivolt 9-33V



H64871



H64872



H64874



H64875



H64877




H64878



H64880



H64881



Dimensions in mm

Part No.	Hella Code	Type	LED Colour
H64870	2JA 958 340-011	Round	White
H64871	2JA 958 340-101	Round	White / Red
H64872	2JA 958 340-111	Round	White / Blue
H64873	2JA 958 340-021	Round	Warm White
H64874	2JA 958 340-121	Round	Warm White / Red
H64875	2JA 958 340-131	Round	Warm White / Blue
H64876	2JA 958 340-511	Square	White
H64877	2JA 958 340-601	Square	White / Red
H64878	2JA 958 340-611	Square	White / Blue
H64879	2JA 958 340-521	Square	Warm White
H64880	2JA 958 340-621	Square	Warm White / Red
H64881	2JA 958 340-631	Square	Warm White / Blue

Contact the office or log in to your online account for pricing.





Sherpa WINCHES

ARK
INNOVATION, NOT IMITATION
JOCKEY WHEELS



Sherpa Grunter Electric Boat Trailer Winch

Sherpa
WINCHES

A robust and efficient trailer winch that offers impressive speed and strength, delivering exceptional performance within a compact, safe, and low-maintenance design. Its three-stage planetary gearbox is equipped with precision-cut gears, striking an optimal balance between speed, pulling power, and amperage draw.

- Heavy duty model 6.6hp series wound motor (12V or 24V).
- 10m of heavy duty 50mm webbing strap (rated to 5,000kg).
- Suits boats weighing up to 9000kg.
- Genuine Albright solenoid electrics.
- Power in, power out and free spool.
- 316 stainless steel fittings, cross members and drum.
- Electronic brake design ensures positive engagement.
- High speed for faster recoveries.
- Includes waterproof hoist style wired hand remote.

IP68

NOW AVAILABLE
24V
Model




JPW6459
Optional 'Plug n Play'
wireless remote kit



Supplied with
webbing strap
and snap hook.

Part No.	Voltage
JPW6458	12V
JPW6458-24	24V



(Dimensions in mm)

Sherpa ATV Tinnie Boat Trailer Winch

Sherpa
WINCHES

Designed to handle small boat recovery with ease, providing the power needed to pull your boat onto the trailer while allowing for a simple push-off when launching (does not feature a reverse braking system).

- Heavy duty purpose built winch motor (12V).
- 5mm x 12m synthetic rope (rated to 2700kg)
- Suits boats weighing up to 2,045kg.
- Genuine Albright solenoid electrics
- Powerful automatic brake.
- Handlebar mount control switch and wiring harness.
- Massive planetary gear reduction reduces load on the motor.
- Wireless remote control kit.

IP68




Includes wireless remote kit



Supplied with synthetic
rope and steel thimble.

Part No.	Voltage
JPW6453	12V



(Dimensions in mm)

Contact the office or log in to your online account for pricing.






Extreme Off-Road Jockey Wheels with Removable Tube Mount 750kg




The latest XO750T Tube Jockey Wheel utilises a revolutionary reinforced tube mount bracket that eliminates bend and increases strength in the Jockey Wheel. It is completely removable and can be stowed anywhere, significantly reducing your drawbar weight while traveling.

- Available with Zinc finish or Black Zinc Powder Coat finish.
- Heavy duty removable tube mount with quick release pin.
- Dual wheel with sealed bearings and off road tread.
- Heavy duty body (Height: 285mm - 710mm).
- Magnetic, removable, side-winding handle.
- Four adjustable height positions.
- Suitable for 75-150mm drawbars.
- Easy-pivot trailing yoke design.
- Rust resistant finish.
- 750kg load capacity.



(Dimensions in mm)



JPW6537

JPW6538

Part No.	Finish
JPW6537	Zinc
JPW6538	Black




Extreme Off-Road Jockey Wheel Heavy Duty 750kg



The XO Series is probably the toughest, most advanced and versatile jockey wheel in Australia today. Featuring adjustable height options and a highly manoeuvrable trailing yoke design with five different locking positions.

- Black Zinc Powder Coat finish.
- Heavy duty swivel clamp with mounting hardware.
- Dual wheel with sealed bearings and off road tread.
- Sunraysa powder coated steel rims
- Heavy duty body (Height: 285mm - 710mm).
- Magnetic, removable, side-winding handle.
- Four adjustable height positions.
- Easy-pivot trailing yoke design.
- Rust resistant finish.
- 750kg load capacity.



(Dimensions in mm)



JPW6549 JPW6559 JPW6558

Also available in Zinc finish
350kg, 500kg or 750kg



JPW6498

Jockey Wheel Handle Bevel Gear Kit
suits all XO750 Jockey Wheels

Part No.	Finish
JPW6538	Black



JPW6549B



Contact the office or log in to your online account for pricing.





JPW MARINE

WHOLESALE MARINE SPECIALISTS

APRIL 2025

NEW PRODUCTS



ULTRAFLEX

BENNETT MARINE

Ultraflex Hydraulic Outboard Steering Kits

Introducing the ultimate steering solution designed specifically for single engines (with included cylinder) from 150HP to 300HP. These all-inclusive kits are engineered to simplify installation and ensure smooth, responsive steering performance.

STRAIN RELIEF KIT CONTAINS:

- 1x UP28F Front Mount Helm Pump (28cc).
- 1x OB/M Hose Kit Pre-Assembled One End 6m or 9m (Pair).
- 2x R5 Strain Relief Thru-Hull Hose Kit.
- 2x 1L Hydraulic Oil (15 Grade).

**NEW
2025**

Part No.	Hose Length
JPW18951	6m
JPW18952	9m



BULKHEAD FITTING KIT CONTAINS:

- 1x UP28F Front Mount Helm Pump (28cc).
- 1x OB/M Hose Kit Pre-Assembled One End 6m or 9m (Pair).
- 1x Dual Hydraulic OB-2C Hose 0.7m (Pair)
- 1x R9B Bulkhead Hose Connection Kit (Black or White)
- 2x 1L Hydraulic Oil (15 Grade).

**NEW
2025**

Part No.	Bulkhead	Hose
JPW18953	Black	6m
JPW18954	White	6m
JPW18955	Black	9m
JPW18956	White	9m



Bennett Marine Classic Hydraulic Trim Tab Complete System with Integrated Helm Control

BENNETT MARINE

The Integrated Helm Control (OBI) is an attractive and user-friendly, stand-alone helm control engineered for ease of installation, without the need for an external control unit. The functionality and "brains" of the control unit are engineered directly into a single, space-saving, and simple-to-install keypad.

- Convenient "All Up" and "All Down" buttons.
- Trim tab position LEDs always show you where your tabs are.
- Auto tab retraction (tabs retract up when the ignition is powered off).

Part No.	MPN	Trim Tab Size	Actuator	Boat Size
JPW16224	129OBI	12" x 9" (305 x 228mm)	Single	4 - 6m
JPW16225	189OBI	18" x 9" (457 x 228mm)	Single	6 - 7m
JPW16226	249OBI	24" x 9" (610 x 228mm)	Single	6 - 8m
JPW16232	1212OBI	12" x 12" (305 x 305mm)	Single	5 - 7m
JPW16233	1812OBI	18" x 12" (457 x 305mm)	Single	6 - 8m
JPW16234	2412OBI	24" x 12" (610 x 305mm)	Double	7 - 9m



**NEW
2025**



**This kit replaces the old EIC Control kits.*



Contact the office or log in to your online account for pricing.

Phone: (08) 6253 3000

Email Orders: sales@jpwmachine.com.au

www.jpwmachine.com.au



OceanX Watertight Aluminium Deck Hatches

Watertight boat deck hatches constructed with a high-quality scratch resistant anodized aluminium alloy frame and stylish, UV-resistant acrylic smoke glass lens.

- Twist lock adjustable arms keep the hatch open.
- Internal/external closing handles.
- Locking mechanism on internal handles.
- Height from Deck: 27.5mm
- Deck Thickness: 15mm




Black Frame



Silver Frame



Riser arm can be unclipped from frame to give full access and 180° lid opening.



JPW Part No.		Outside of Frame A x B (mm)	Cut Out Size A x B (mm)
Silver	Black		
JPW170513	JPW170514	295 x 240	230 x 176
JPW170503	JPW170504	276 x 276	210 x 210
JPW170505	JPW170506	325 x 325	260 x 260
JPW170515	JPW170516	412 x 267	347 x 202
JPW170507	JPW170508	486 x 486	420 x 420
JPW170509	JPW170510	507 x 507	442 x 442
JPW170517	JPW170518	522 x 392	457 x 327
JPW170519	JPW170520	572 x 442	507 x 377
JPW170521	JPW170522	572 x 457	507 x 392
JPW170511	JPW170512	572 x 572	505 x 505

OceanX Aluminium Rectangular Opening Portlights

Watertight portlights crafted with an anodized aluminium alloy frame and stylish, UV-resistant acrylic smoke glass lens.

- Robust, easy-to-use internal nylon handles.
- Scratch-resistant coating on frame.
- Deck Thickness: 31mm



Internal view - Silver




Internal view - Black



External view - Silver



External view - Black



JPW Part No.		Outside of Frame A x B (mm)	Cut Out Size A x B (mm)
Silver	Black		
JPW170545	JPW170546	325 x 178	303 x 156
JPW170547	JPW170548	369 x 193	347 x 171
JPW170549	JPW170550	451 x 193	429 x 171

Keyless Deck Fill 45deg - Stainless Steel

Flush mount cast 316-grade stainless deck fillers with 45deg angled hose connection and a flip-up key to ensure easy removal. Features coarse thread, 'O' ring seal, retaining chain and filler type identification moulded into the lid.

- Tight spring-loaded flip-up key stays shut to prevent rattle and accidental opening.
- 4mm countersunk fastening holes.



Part No.	Type	Suits Hose (mm)
JPW19269	Fuel	38
JPW19277	Fuel	50
JPW19278	Diesel	38
JPW19279	Diesel	50
JPW19280	Water	38
JPW19281	Water	50
JPW19282	Waste	38
JPW19283	Waste	50



Contact the office or log in to your online account for pricing.





Steering Wheel Black Stainless Steel with Knob & Steel Cap

Stainless steel five-spoke steering wheel with soft grip spokes and a speed knob for quicker rotations.

- Includes stainless steel centre cap.



NEW 2025

Part No.	Diameter
JPW19314	343mm

Bow Shackle Galvanised Steel Load Rated

Hot-dipped galvanised bow shackle with painted yellow pin to indicated it has been load rated.

*S.W.L (suggested working load) is approx 25% of ultimate breaking load.



NEW 2025

Part No.	Size	SWL*
JPW6736	6mm	500kg
JPW6737	8mm	750kg
JPW6738	10mm	1000kg
JPW6739	13mm	2000kg
JPW6740	16mm	3250kg
JPW6741	19mm	4750kg

Rod Holders Heavy Duty 316 Stainless Steel

Heavy-duty rod holders crafted from premium 316-grade stainless steel for superior strength and corrosion resistance. Featuring a cast oval head welded to the shaft for added durability, they are designed to install nearly flush into the gunwale.

- Includes black PVC insert, cap and rod gimbal pin.
- Three 6mm countersunk fastening holes.



NEW 2024

NEW 2025


NEW 2025

Part No.	Head Angle	Shaft I.D (mm)	Cut-out (mm)	Length (mm)	Head Size (mm)
JPW5927	15° Angled	41	51	210	105 x 93
JPW5928	30° Angled	41	51	210	105 x 93
JPW5929	Straight	41	51	210	105 x 93


Under Platform Telescopic Ladder with Grab Handles - Stainless Steel

Constructed from 316-grade stainless steel this under platform ladder has two folding grab handles, a top hand rail and heavy duty steps with double tubes for strength and a nylon insert for grip.

- Grab handles and telescopic rungs stow away into bracket.
- Locks into place when not in use.
- Anti-slip and UV-stabilised moulded ribbed steps.



NEW 2025



JPW6149
Replacement
Nylon Tread



JPW6166
Retracted & locked

Locks into place
when not in use.

Part No.	Type	Dimensions (mm)							
		A	B	C	D	E	F	G	H
JPW6165	3-Step	470	875	370	275	385	330	340	75
JPW6166	4-Step	500	1145	375	275	410	340	360	75

Contact the office or log in to your online account for pricing.

