

HATCHES & PORTLIGHTS 06

BOMAR HATCHES

| | |
|--|------|
| Low Profile Extruded Hatches | 6.02 |
| High Profile Extruded Hatches | 6.03 |
| Low Profile Extruded Round Hatches | 6.04 |
| Low Profile Extruded Trapezoid Hatches | 6.04 |
| Low Profile Moulded 900 Series Hatches | 6.05 |
| 1400 Series Hatch with Sliding Roof | 6.06 |
| Cast Commercial Hatches | 6.13 |
| Cast Commercial Inspection Hatches | 6.13 |
| Tread Plate Aluminium Access Hatches | 6.14 |
| Seabreeze Shade Screens | 6.06 |
| Trim Rings | 6.07 |
| Insect Screens | 6.08 |
| Replacement Hinges | 6.08 |
| Replacement Handles & Mushroom Caps | 6.09 |
| Replacement Riser Arms | 6.10 |
| Replacement Gasket Seals | 6.10 |

OTHER HATCHES

| | |
|---|------|
| Ceredi Acetal Access Hatches | 6.11 |
| Ceredi Aluminium Access Hatches | 6.12 |
| OceanX Aluminium Deck Hatches | 6.15 |
| OceanX Trim Rings | 6.16 |
| OceanX Insect Screens | 6.16 |
| OceanX Replacement Handles & Riser Arms | 6.16 |

PORTLIGHTS

| | |
|---|------|
| OceanX Rectangle Aluminium Portlights | 6.17 |
| OceanX Elliptical Aluminium Portlight | 6.17 |
| Bomar 2000 Series Rectangle Portlights | 6.18 |
| Bomar Gray Series Rectangle Portlights | 6.19 |
| Bomar Grey Series Elliptical Portlights | 6.20 |
| Bomar Flagship Elliptical Portlight | 6.21 |
| Bomar Classic S/S Elliptical Portlights | 6.21 |






Bomar Low Profile Extruded Hatches

Low Profile "NIBO" hatches feature heavy duty hinges, and snag-free opening to produce a neat and functional hatch. This design is favoured and chosen by many major boat builders worldwide. Available in a choice of clear anodised, or white powder-coated, heavy duty extruded aluminium frames with a tough smoke acrylic pane to assure privacy while still allowing in plenty of light.


- Twist lock adjustable riser arms keep the hatch open from 0° to 90°.
- "P series" lid style with internal hinges.
- Internal/external closing handles.
- 25mm deep internal flange.
- Insect screens and internal trim mouldings sold separately.




Aluminium Silver Trim




White Powder Coated Trim




JPW170800 / JPW170801




JPW170802 / JPW170803




JPW170806 / JPW170807




JPW170808 / JPW170809




JPW170810 / JPW170811




JPW170814 / JPW170815



JPW170816 / JPW170817



JPW170818 / JPW170819



JPW170822 / JPW170823



| JPW Part No. | | Bomar Code | Cut Out Size A x B (mm) | Outside of Deck Flange A x B (mm) | Outside of Lid A x B (mm) | Hatch Opening A x B (mm) | Lens Thickness (mm) |
|--------------|-----------|------------|-------------------------|-----------------------------------|---------------------------|--------------------------|---------------------|
| Silver | White | | | | | | |
| JPW170800 | JPW170801 | N1011-10P | 365 x 232 | 406 x 273 | 433 x 300 | 337 x 203 | 6 |
| JPW170802 | JPW170803 | N1000-10P | 273 x 273 | 314 x 314 | 341 x 341 | 244 x 244 | 6 |
| JPW170806 | JPW170807 | N1029-10PX | 470 x 340 | 511 x 381 | 538 x 408 | 441 x 311 | 9 |
| JPW170808 | JPW170809 | N1060-10PX | 359 x 359 | 400 x 400 | 427 x 427 | 300 x 300 | 9 |
| JPW170810 | JPW170811 | N1040-10PX | 519 x 391 | 560 x 432 | 587 x 459 | 491 x 362 | 9 |
| JPW170814 | JPW170815 | N1070-10PX | 421 x 421 | 462 x 462 | 489 x 489 | 392 x 392 | 9 |
| JPW170816 | JPW170817 | N1080-10PX | 470 x 470 | 511 x 511 | 538 x 538 | 441 x 441 | 9 |
| JPW170818 | JPW170819 | N1039-10PX | 513 x 513 | 554 x 554 | 581 x 581 | 484 x 484 | 9 |
| JPW170822 | JPW170823 | N1049-10PX | 638 x 638 | 679 x 679 | 706 x 706 | 610 x 610 | 9 |




Bomar High Profile Extruded Hatches - 2000 Series

The Bomar High Profile hatch range is chosen and favoured by many major boat builders throughout the world. Traditional style deck hatch with heavy duty extra high sealing lip frame, heavy duty hinges and snag-free opening. Available in a choice of clear or black anodised heavy duty extruded aluminium frames with a tough smoke acrylic pane to assure privacy while still allowing in plenty of light.


- Twist lock adjustable riser arms keep the hatch open from 0° to 90°.
- Insect screens and internal trim mouldings sold separately.
- Internal/external closing handles.
- 45mm height above deck finish.
- 25mm deep internal flange.




JPW170872 / 170873




JPW170874




JPW170876




JPW170880




JPW170884 / JPW170885



JPW170894



JPW170888 / JPW170889



JPW170892 / JPW170893



| JPW Part No. | | Bomar Code | Cut Out Size A x B (mm) | Outside of Deck Flange A x B (mm) | Outside of Lid A x B (mm) | Hatch Opening A x B (mm) | Lens Thickness (mm) |
|--------------|-----------|------------|-------------------------|-----------------------------------|---------------------------|--------------------------|---------------------|
| Silver | Black | | | | | | |
| JPW170872 | JPW170873 | N2000-10A | 273 x 273 | 314 x 314 | 318 x 318 | 244 x 244 | 9 |
| JPW170874 | - | N2028-10A | 449 x 324 | 491 x 365 | 495 x 367 | 421 x 295 | 9 |
| JPW170876 | - | N2029-10A | 470 x 340 | 381 x 511 | 389 x 519 | 311 x 441 | 9 |
| JPW170880 | - | N2040-10A | 519 x 391 | 432 x 560 | 435 x 564 | 362 x 491 | 9 |
| JPW170884 | JPW170885 | N2070-10A | 421 x 421 | 460 x 460 | 464 x 464 | 391 x 391 | 9 |
| JPW170894 | - | N2086-10A | 508 x 508 | 549 x 549 | 552 x 552 | 495 x 495 | 9 |
| JPW170888 | JPW170889 | N2039-10A | 513 x 513 | 556 x 556 | 559 x 559 | 486 x 486 | 9 |
| JPW170892 | JPW170893 | N2049-10A | 638 x 638 | 679 x 679 | 687 x 687 | 610 x 610 | 9 |




Bomar Low Profile Extruded Round Hatches

Low Profile "NIBO" round hatch design features heavy duty hinges and a snag-free opening to produce a neat and functional hatch. They have a clear anodised, heavy duty extruded silver aluminium frame with a tough smoke acrylic pane to assure privacy while still allowing in plenty of light.

- Twist lock adjustable riser arms to keep the hatch open from 0° to 90°.
- Insect screens and internal trim mouldings sold separately.
- Internal/external closing handles.
- 25mm deep internal flange.



JPW170896





JPW170898

| JPW Part No. | Bomar Code | Cut Out Diameter (mm) | Outside of Deck Flange (mm) | Outside of Lid (mm) | Hatch Opening (mm) | Lens Thickness (mm) |
|--------------|------------|-----------------------|-----------------------------|---------------------|--------------------|---------------------|
| JPW170896 | N1170 | ø 421 | ø 462 | ø 484 | ø 392 | 9 |
| JPW170898 | N1139 | ø 516 | ø 557 | ø 581 | ø 487 | 9 |


Bomar Low Profile Extruded Trapezoid Hatches

The trapezoid shape hatch is a very common hatch on small boats, used to gain access from the cabin to the bow. Low-profile design with heavy duty hinges, a snag-free opening and twist lock adjustable riser arms keep the hatch open from 0° to 90°.


- Internal/external closing handles.
- 25mm deep internal flange.
- Cut out radius: 43mm / Outside radius: 73mm
- Internal trim mouldings sold separately.



JPW170824 / JPW170825



JPW170826 / JPW170827



JPW170828 / JPW170829



| JPW Part No. | | Bomar Code | Cut Out Size A x B x C (mm) | Outside of Deck Flange A x B (mm) | Outside of Lid A x B x C (mm) | Hatch Opening A x B x C (mm) | Lens Thickness (mm) |
|--------------|-----------|------------|-----------------------------|-----------------------------------|-------------------------------|------------------------------|---------------------|
| Silver | White | | | | | | |
| JPW170824 | JPW170825 | N1090-10PX | 559 x 422 x 440 | 600 x 464 | 622 x 489 x 510 | 530 x 394 x 410 | 9 |
| JPW170826 | JPW170827 | N1094-10PX | 645 x 489 x 508 | 686 x 530 | 713 x 557 x 578 | 616 x 460 x 478 | 9 |
| JPW170828 | JPW170829 | N1017-10PX | 565 x 589 x 455 | 606 x 630 | 624 x 659 x 525 | 537 x 560 x 425 | 9 |




Bomar Low Profile Moulded 900 Series Hatches

Also known as Gray Hatch, these hatches have a high-impact resin moulded frame and injection-moulded, super tough, polycarbonate lens with a smoke finish.


- Twist lock adjustable arms keep the hatch open.
- Internal/external closing handles.
- 32mm corner radius.
- 30mm deep internal flange.
- Insect screens and internal trim mouldings sold separately.




JPW170750 / JPW170751



JPW170752 / JPW170753



JPW170754 / JPW170755



JPW170756 / JPW170758

| JPW Part No. | | Bomar Code | Cut Out Size A x B (mm) | Outside of Deck Flange A x B (mm) | Outside of Lid A x B (mm) | Hatch Opening A x B (mm) | Cut Out Radius (mm) | Opening Angle |
|--------------|-----------|------------|-------------------------|-----------------------------------|---------------------------|--------------------------|---------------------|---------------|
| Black | White | | | | | | | |
| JPW170750 | JPW170751 | G910 | 241 x 241 | 292 x 292 | 300 x 306 | 225 x 225 | 32 | 90° |
| JPW170752 | JPW170753 | G927 | 454 x 327 | 505 x 378 | 518 x 384 | 445 x 318 | 43 | 140° |
| JPW170754 | JPW170755 | G966 | 428 x 428 | 480 x 480 | 486 x 492 | 414 x 414 | 43 | 140° |
| JPW170756 | JPW170758 | G995 | 501 x 501 | 556 x 556 | 567 x 560 | 489 x 489 | 43 | 140° |



Bomar 1400 Series Hatch with Sliding Roof


This hatch has the durability of the popular extruded hatches with incorporating a new sliding factor. It features a venting position, which allows air to be scooped into cabin or console space without opening the hatch. The 4-point rail system provides smooth, quiet sliding one handed operation.

- Adjustability - can be secured at any opened position.
- Anodized aluminium frame.
- Heavy-duty tinted acrylic lens.



BOMAR
BOATWAVE

JPW170956



| JPW Part No. | | Bomar Code | Cut Out Size A x B (mm) | Outside of Deck Flange A x B (mm) | Outside of Lid A x B (mm) | Hatch Opening A x B (mm) | Overall Size including track A x B (mm) |
|--------------|-----------|------------|-------------------------|-----------------------------------|---------------------------|--------------------------|---|
| Silver | White | | | | | | |
| JPW170956 | JPW170957 | N1486 | 510 x 510 | 556 x 556 | 581 x 581 | 308 x 486 | 1030 x 581 |

Bomar Seabreeze Shade Screens

This sun shade and insect screen solution is designed to compliment the interior of modern boats. Blocks both sun and insects, or open just the shade to let in the breeze while keeping insects out.

- Simple installation with four screws attaching the screen directly under the hatch - no need for additional finishing trims.
- In-built track system allows the shade and screen to roll evenly.
- **JPW170940**: Replacement 2" trim ring kit (cut to required size).




Shade half-open, half-closed



Surface Mount



Flush Mount



Shade fully open

| Part No. | Bomar Code | Mount Type | Fits Bomar Hatch Codes | Suits Hatch Cut-out Size A x B (mm) | Overall Size A x B (mm) |
|-----------|------------|---------------|------------------------|-------------------------------------|-------------------------|
| JPW170943 | GSB2028 | Surface Mount | N1028 & N2028 | 449 x 324 | 565 x 445 |
| JPW170945 | GSB2086 | Surface Mount | N1086 & N2086 | 508 x 508 | 648 x 616 |
| JPW170948 | GSB2029 | Surface Mount | N1029 & N2029 | 470 x 340 | 577 x 478 |
| JPW170942 | GSB1029 | Flush Mount | N1029 & N2029 | 470 x 340 | 577 x 478 |
| JPW170949 | GSB2039 | Surface Mount | N1039 & N2039 | 513 x 513 | 652 x 620 |
| JPW170946 | GSB1039 | Flush Mount | N1039 & N2039 | 513 x 513 | 652 x 620 |
| JPW170944 | GSB1070 | Flush Mount | N1070 & N2070 | 421 x 421 | 560 x 529 |

BOMAR
BOATWAVE



Bomar Hatch Trim Rings for Low Profile and High Profile Rectangular Hatches

Manufactured to suit the range of Bomar Low Profile Extruded Deck Hatches and High Profile 2000 Series hatches, these trims complete a clean cabin interior and hide any joins or cracks.

- Available in either black or off-white.
- Available with different spigot heights.

| Part No. | | | | Bomar Code | Suits Hatch Cut-out Size A x B (mm) |
|------------|-------------|--------------|-------------------|------------|-------------------------------------|
| Black 1" | Black 2.75" | Off White 1" | Off White 2.75" | | |
| JPW170830S | JPW170830 | JPW170831S | JPW170831 | NT2011 | 365 x 232 |
| - | - | JPW170833S | JPW170833 | NT2000 | 273 x 273 |
| - | - | - | JPW170832 (2") | NT2028 | 449 x 324 |
| JPW170836S | JPW170836 | JPW170837S | JPW170837 | NT2029 | 470 x 340 |
| JPW170838S | JPW170838 | JPW170839S | JPW170839 | NT2060 | 359 x 359 |
| JPW170840S | JPW170840 | JPW170841S | JPW170841 | NT2040 | 519 x 391 |
| - | - | JPW170845S | JPW170845 (2.25") | NT2070 | 421 x 421 |
| - | - | - | JPW170847 | NT2080 | 470 x 470 |
| - | - | JPW170849S | JPW170849 | NT2039 | 513 x 513 |
| JPW170852S | JPW170852 | JPW170853S | JPW170853 | NT2049 | 638 x 638 |



1" Spigot height



2.75" Spigot height



Bomar Hatch Trim Rings for Low Profile Round Hatches

Manufactured to suit the range of Bomar Low Profile Extruded Round Deck Hatches to complete a clean cabin interior and hide any joins or cracks.

- Available in off-white.
- Available with 1" or 2.75" spigot heights.

| Part No. | | Bomar Code | Suits Hatch Cut-out Size (mm) |
|--------------|-----------------|------------|-------------------------------|
| Off White 1" | Off White 2.75" | | |
| JPW170858S | JPW170858 | NT1170 | ø 421 |
| JPW170859S | JPW170859 | NT1139 | ø 516 |



1" Spigot height



2.75" Spigot height



Bomar Hatch Trim Rings for Low Profile Trapezoid Hatches

Complete a clean cabin interior and hide any joins or cracks.

- Available in off-white.
- Available with 1" or 2.75" spigot heights.

| Part No. | | Bomar Code | Suits Hatch Cut-out Size A x B x C (mm) |
|--------------|-----------------|------------|---|
| Off White 1" | Off White 2.75" | | |
| JPW170855S | JPW170855 | NT2090 | 559 x 422 x 440 |
| JPW170857S | JPW170857 | NT1094 | 645 x 489 x 508 |



1" Spigot height



2.75" Spigot height



Bomar Hatch Trim Ring for Moulded 900 Series Hatches

Complete a clean cabin interior and hide any joins or cracks, made from moulded, super tough polycarbonate.

| Part No. | | Bomar Code | Suits Hatch Cut-out Size A x B (mm) |
|-----------|-----------|------------|-------------------------------------|
| Black | White | | |
| JPW170760 | JPW170761 | GT910 | 241 x 241 |
| JPW170762 | JPW170763 | GT927 | 454 x 327 |
| JPW170764 | JPW170765 | GT966 | 428 x 428 |
| JPW170766 | JPW170767 | GT995 | 501 x 501 |





Bomar Hatch Insect Screens for Low and High Profile Rectangular Hatches

Manufactured to suit the range of Bomar Low Profile and High Profile hatches, these sewn screens provide plenty of light and ventilation, whilst keeping insects out.

- Must be purchased with a Bomar Trim Ring above for correct installation.

| Part No. | Bomar Code | Overall Size A x B (mm) |
|-----------|------------|-------------------------|
| JPW170920 | NS2011-EX | 387 x 256 |
| JPW170921 | NS2000-EX | 297 x 297 |
| JPW170922 | NS2029-EX | 495 x 362 |
| JPW170923 | NS2060-EX | 385 x 385 |
| JPW170924 | NS2040-EX | 551 x 406 |
| JPW170925 | NS2070-EX | 446 x 446 |
| JPW170926 | NS2039-EX | 535 x 535 |
| JPW170927 | NS2049-EX | 662 x 662 |



Requires trim rings with toggles to lock into place (sold separately - see previous page)

Bomar Hatch Insect Screens for Low Profile Round Hatches

These sewn screens provide plenty of light and ventilation, whilst keeping insects out.

- Must be purchased with a Bomar Trim Ring above for correct installation.

| Part No. | Bomar Code | Overall Size (mm) |
|-----------|------------|-------------------|
| JPW170928 | NS1170-EX | ø 440 |
| JPW170929 | NS1139-EX | ø 526 |



Bomar Hatch Insect Screens for Moulded 900 Series Hatches

Manufactured to suit the range of Bomar 900 Series hatches, these sewn screens provide plenty of light and ventilation, whilst keeping insects out.

- Screens will not fit in hatches with trim rings already installed.

| Part No. | | Bomar Code | Overall Size A x B (mm) |
|-----------|-----------|------------|-------------------------|
| Black | White | | |
| JPW170792 | JPW170793 | GS910 | 232 x 232 |
| JPW170794 | JPW170795 | GS927 | 445 x 318 |
| JPW170796 | JPW170797 | GS966 | 419 x 419 |
| JPW170798 | JPW170799 | GS995 | 490 x 490 |



Replacement Bomar Hatch Hinges

Replacement hinge to suit the Low Profile and High Profile range of hatches.

- 89mm hinge can be use on either side of the hatch.
- 53mm hinge is either a left or right side hatch hinge.
- Supplied with fixing screws.



| Part No. | Bomar Code | Suits Hatch Type | Length A (mm) | Side | Type | Colour |
|-----------|-------------|------------------|---------------|--------------|----------|------------------|
| JPW170905 | P2000-117 | Low Profile | 89 | Left / Right | Internal | Black |
| JPW170909 | P2000-119-L | Low Profile | 53 | Left | Internal | Black |
| JPW170910 | P2000-119-R | Low Profile | 53 | Right | Internal | Black |
| JPW170931 | P2000-20-1 | High Profile | 76 | Left / Right | External | Silver Aluminium |
| JPW170932 | P2000-44 | High Profile | 101 | Left / Right | External | Silver Aluminium |





Replacement Bomar Hatch Handles

Replacement handles to suit the Low Profile, High Profile and Moulded 900 Series hatches. Available as complete assemblies with internal handle and external cap or internal handle only, see below for external mushroom caps.

To identify which handle is needed, they usually have a small 'L' or 'R' stamped on them, alternatively look at the hatch with the hinges furthest from you.



| Part No. | Bomar Code | Suits Hatch Type | Side | Assembly Type | Locking |
|------------|---------------|--------------------------------|-------|----------------------------|---------|
| JPW170867 | P2000-84-R | Low & High Profile | Right | Complete | No |
| JPW170865 | P2000-84-L | Low & High Profile | Left | Complete | No |
| JPW170861 | P2000-53 | Low & High Profile | Right | Complete with Stay Bracket | Yes |
| JPW170862 | P2000-52 | Low & High Profile | Left | Complete with Stay Bracket | Yes |
| JPW170915 | GP911-02 | 900 Series | Right | Internal Handle only | No |
| JPW170914 | GP911-01 | 900 Series | Left | Internal Handle only | No |
| JPW170790H | P2000-19-R | Low & High Profile | Right | Internal Handle only | No |
| JPW170791H | P2000-19-L | Low & High Profile | Left | Internal Handle only | No |
| JPW170919H | GP911-06-IO-R | Low & High Profile, 900 Series | Right | Internal Handle only | Yes |
| JPW170918H | GP911-05-IO-L | Low & High Profile, 900 Series | Left | Internal Handle only | Yes |
| JPW170790 | P2000-19-R | Low & High Profile | Right | Complete | No |
| JPW170791 | P2000-19-L | Low & High Profile | Left | Complete | No |
| JPW170916 | P2000-18-R | Low & High Profile | Right | Complete | Yes |
| JPW170917 | P2000-18-L | Low & High Profile | Left | Complete | Yes |
| JPW170919 | GP911-06-IO-R | 900 Series | Right | Complete | Yes |
| JPW170918 | GP911-05-IO-L | 900 Series | Left | Complete | Yes |
| JPW170903 | P2000-18-RA | Low & High Profile | Right | Complete with Stay Bracket | Yes |
| JPW170904 | P2000-18-LA | Low & High Profile | Left | Complete with Stay Bracket | Yes |

Replacement Bomar Hatch Mushroom Caps

Replacement top cap (mushroom cap) fits on the outside of the hatch.

• Suits Low Profile, High Profile and Moulded 900 Series hatches.

| Part No. | Bomar Code | Colour | Type |
|-----------|------------|--------|----------------------------|
| JPW170864 | P2000-27 | Black | Flat top with square shaft |
| JPW170868 | P2000-86 | Black | Round with O-ring |
| JPW170912 | P2000-96W | White | Contoured with O-ring |
| JPW170913 | P2000-96 | Black | Contoured with O-ring |





Replacement Riser Arms Bomar Hatches


• Riser arms for Round hatches are always right hand sided.
 To identify which riser arm you require, look at the hatch from with the hinges furthest from you.

| Part No. | Bomar Code | Suits Hatch Type | Side | Length (in) |
|-----------|--------------------|--------------------|-------|-------------|
| JPW170744 | GP909-02 | 900 Series | Both | 7 |
| JPW170745 | GP909-03 | 900 Series | Both | 10 |
| JPW170902 | P2000-75-12273 R-1 | Round | Right | 13 |
| JPW170667 | P2000-75-1139P-M | Round | Right | 15.25 |
| JPW170899 | P2000-75-12204 R-1 | Round | Right | 15.25 |
| JPW170869 | P2000-75-16 | Low & High Profile | Right | 16 |
| JPW170870 | P2000-76-16 | Low & High Profile | Left | 16 |
| JPW170660 | P2000-75-17 | Low & High Profile | Right | 17 |
| JPW170661 | P2000-76-17 | Low & High Profile | Left | 17 |




Replacement Gasket Seals for Bomar Hatches

Black rubber gasket for Low Profile, High Profile and Moulded 900 Series hatches.
 • Sold per foot.



| Part No. | Bomar Code | Suits Hatch Type | Suits Hatch Lens (mm) |
|-----------|------------|--|-----------------------|
| JPW170860 | P2000-25 | Low Profile Rectangular, Round & Trapezoid | 9 |
| JPW170900 | P2000-09 | Low Profile Rectangular | 6 |
| JPW170866 | P2000-26 | High Profile 2000 Series | 9 |
| JPW170776 | P100-52 | Moulded 900 Series | all models |






Ceredi Watertight Access Hatches Series 2485 Heavy Duty Black Acetal

Precision-engineered in Italy, these sleek low-profile access hatches are CNC-machined from solid acetalic resin for exceptional strength and UV & corrosion resistance, with zero risk of oxidation.

- Built to a high-quality standard, offering a walkable surface.
- Watertight seal leak tested to 14 KPa.
- Made from premium quality black acetal construction.
- UV, saltwater, and chemical resistant.
- Strong mechanical properties and non-corrosive.
- ISO 12216/2004 certified.
- Suitable for finishing with decking material for seamless integration.



Square allen key opening mechanism (tool supplied)



External view



Internal view

Technical drawings of various hatch sizes and part numbers:

- JPW170401
- JPW170402
- JPW170403
- JPW170404
- JPW170405
- JPW170406
- JPW170407
- JPW170408
- JPW170409
- JPW170410


| Part No. | Size | Overall A x B (mm) | Cutout A x B (mm) |
|-----------|------|--------------------|-------------------|
| JPW170401 | A1 | 270 x 370 | 206 x 306 |
| JPW170402 | B1 | 350 x 600 | 286 x 537 |
| JPW170403 | C1 | 510 x 460 | 446 x 393 |
| JPW170404 | D1 | 743 x 578 | 680 x 516 |
| JPW170405 | E1 | 450 x 450 | 380 x 380 |
| JPW170406 | F1 | 600 x 600 | 530 x 530 |
| JPW170407 | G1 | 400 x 350 | 330 x 300 |
| JPW170408 | H1 | 550 x 400 | 500 x 347 |
| JPW170409 | I1 | 620 x 430 | 574 x 380 |
| JPW170410 | L1 | 675 x 375 | 627 x 327 |



Ceredi Watertight Access Hatches Series 2500 Heavy Duty Aluminium

Made in Italy from 51200 marine-grade aluminium alloy, these premium hatches deliver strength, corrosion resistance, and watertight integrity. The walk-on design supports deck traffic and heavy use making them ideal for commercial, recreational, and marine infrastructure use.

- Must be installed on a flat surface and connected to a sacrificial anode.
- Made from strong 51200 aluminium alloy.
- Durable oven-baked powder coating (black or white) or raw aluminium finish.
- Watertight seal leak tested to 35 KPa.
- Recessed twist-lock handles for a snag-free profile.
- Supplied with aluminium fixing kit, grounding strap, and plastic screw protectors.
- Easy installation with quality fittings included.
- ISO 12216/2004 certified.



Internal view



NEW 2025

Flexible braided grounding strap connects lid to frame




White Powder Coated




Black Powder Coated



Natural Raw




| Part No. (Natural Raw) | Part No. (White) | Part No. (Black) | Size | Overall Ax B (mm) | Cutout Ax B (mm) | Internal Ax B (mm) |
|------------------------|------------------|------------------|------|-------------------|------------------|--------------------|
| JPW170423 | JPW170424 | JPW170425 | A | 270x370 | 206x306 | 160x260 |
| JPW170426 | JPW170427 | JPW170428 | B | 350x600 | 286x537 | 240x490 |
| JPW170429 | JPW170430 | JPW170431 | C | 510x460 | 446x393 | 400x345 |
| JPW170432 | JPW170433 | JPW170434 | D | 743x578 | 680x516 | 622x457 |
| JPW170435 | JPW170436 | JPW170437 | E | 450x450 | 380x380 | 330x330 |
| JPW170438 | JPW170439 | JPW170440 | F | 600x600 | 530x530 | 480x480 |
| JPW170441 | JPW170442 | JPW170443 | G | 400x350 | 330x300 | 279x225 |
| JPW170444 | JPW170445 | JPW170446 | H | 550x400 | 500x347 | 428x275 |
| JPW170447 | JPW170448 | JPW170449 | I | 650x450 | 574x380 | 528x375 |
| JPW170450 | JPW170451 | JPW170452 | L | 700x400 | 627x327 | 575x274 |



Bomar Cast Watertight Commercial Hatches

Commercial Grade cast aluminium hatches that can be flush mounted to the deck.


- Lloyd's Certified - Tested to be watertight (to 10m).
- Non-hinged for easy removal of lid with internal and external opening.
- 1/4" height off mounting surface.
- 316-grade stainless steel T-handle & hardware.
- Cast Almag-35.




External view




Internal view




JPW170775 / P100-53
Replacement Gasket Seal
(sold per foot)



JPW174390



JPW174394




JPW174395

| Part No. | Bomar Code | Shape | Opening A x B (mm) | Cut-Out A x B (mm) | O.D. of Deck Flange (mm) | Extends Below Deck (mm) |
|-----------|------------|--------|--------------------|--------------------|--------------------------|-------------------------|
| JPW174390 | C41218 | Oval | 310 x 464 | 380 x 534 | 475 x 629 | 143 |
| JPW174394 | C41524 | Oval | 380 x 610 | 450 x 680 | 552 x 756 | 127 |
| JPW174395 | C42424 | Square | 610 x 610 | 685 x 685 | 787 x 787 | 185 |

Bomar Cast Commercial Inspection Hatches

Low-profile cast aluminium hatches with a thick watertight seal. This hatch is used by major boat builders around the world.


- Removable lid with non skid surface and locking T-handles.
- Cast Almag-35.
- Extends 13mm below deck.
- Plate thickness: 6mm




External view




Internal view




JPW170777 / P100-51
Replacement Gasket Seal
(sold per foot)



JPW174396



JPW174398



JPW174400


| Part No. | Bomar Code | Opening A x B (mm) | Cut-Out A x B (mm) | O.D. of Deck Flange (mm) |
|-----------|------------|--------------------|--------------------|--------------------------|
| JPW174396 | C41812 | 282 x 224 | 327 x 273 | 389 x 335 |
| JPW174398 | C41416 | 400 x 344 | 448 x 398 | 511 x 460 |
| JPW174400 | C41020 | 489 x 256 | 533 x 304 | 595 x 367 |




Bomar Tread Plate Aluminium Access Hatches

Bomar Access Hatches are made with a high quality, anodised aluminium tread plate cover with 316-grade stainless steel hardware. All dog fasteners are recessed into the hatch cover so chains, cables or rope will not snag on them. A multiple point loading gasket profile will resist leakage even under dynamic water pressures. The return bend in the frame profile will stop over-compression of the gasket if heavy loads are placed on the hatch cover.


- 5 bar, marine-grade, anodised aluminium tread plate cover and welded aluminium frame.
- 316-grade stainless steel dog fastener with Delrin bushing for smooth operation
- 316-grade stainless steel flush 'D' handle and hex drive tool handle.
- BUNA-N 'O'-ring approved for use in petroleum and chemical environments.
- Multiple point loading gasket profile.
- **JPW171715:** Opening Key for Access Hatch Aluminium Tread Plate (sold separately)



JPW171715
Spare Access
Hatch Key




Optional on request: Heavy 12-gauge 316-grade stainless steel fully welded frame



External view



Internal view



JPW171701

JPW171702

JPW171703

JPW171704

JPW171705

JPW171706

JPW171707

| Part No. | Bomar Code | Opening A x B (mm) | Cut-Out A x B (mm) | O.D. of Deck Flange A x B (mm) |
|-----------|------------|--------------------|--------------------|--------------------------------|
| JPW171701 | N40127 | 565 x 362 | 622 x 419 | 677 x 474 |
| JPW171702 | N40128 | 717 x 565 | 774 x 622 | 830 x 677 |
| JPW171703 | N40129 | 260 x 260 | 317 x 317 | 372 x 372 |
| JPW171704 | N40130 | 508 x 254 | 565 x 311 | 620 x 366 |
| JPW171705 | N40131 | 717 x 463 | 774 x 520 | 830 x 576 |
| JPW171706 | N40132 | 565 x 565 | 622 x 622 | 677 x 677 |
| JPW171707 | N40133 | 870 x 565 | 927 x 622 | 982 x 677 |



OceanX Watertight Aluminium Deck Hatches

Watertight boat deck hatches constructed with a high-quality scratch resistant anodized aluminium alloy frame and stylish, UV-resistant acrylic smoke glass lens.

- Twist lock adjustable arms keep the hatch open.
- Internal/external closing handles.
- Locking mechanism on internal handles.
- Height from Deck: 27.5mm
- Deck Thickness: 15mm

Hatches with single handles have no riser arm stay bracket as the riser arm is mounted to the glass lid

Hatches with a pair of arms have a pair of handles with an integrated riser arm stay bracket



SPX17021
Replacement Gasket Seal
(sold per metre)




Riser arm can be unclipped from frame to give full access



Silver Frame



Black Frame




JPW170513
JPW170514


JPW170503
JPW170504

JPW170505
JPW170506


JPW170515
JPW170516




JPW170507 / JPW170508




JPW170509 / JPW170510




JPW170517 / JPW170518



JPW170519 / JPW170520



JPW170521 / JPW170522




JPW170511 / JPW170512

| Part No. | | Outside of Frame A x B (mm) | Cut Out Size A x B (mm) |
|-----------|-----------|--------------------------------|----------------------------|
| Aluminium | Black | | |
| JPW170513 | JPW170514 | 295 x 240 | 230 x 176 |
| JPW170503 | JPW170504 | 276 x 276 | 210 x 210 |
| JPW170505 | JPW170506 | 325 x 325 | 260 x 260 |
| JPW170515 | JPW170516 | 412 x 267 | 347 x 202 |
| JPW170507 | JPW170508 | 486 x 486 | 420 x 420 |
| JPW170509 | JPW170510 | 507 x 507 | 442 x 442 |
| JPW170517 | JPW170518 | 522 x 392 | 457 x 327 |
| JPW170519 | JPW170520 | 572 x 442 | 507 x 377 |
| JPW170521 | JPW170522 | 572 x 457 | 507 x 392 |
| JPW170511 | JPW170512 | 572 x 572 | 505 x 505 |

OceanX Hatch Trim Rings

Anodised aluminium alloy trim rings designed to provide a clean, finished edge on OceanX deck hatch installations.

- Required for installing insect screens.



| Part No. | | Suits Hatch Cut-out Size A x B (mm) |
|-----------|------------|-------------------------------------|
| Aluminium | Black | |
| JPW170568 | JPW170568B | 231x176 |
| JPW170561 | JPW170561B | 211x211 |
| JPW170562 | JPW170562B | 260x260 |
| JPW170569 | JPW170569B | 347x202 |
| JPW170563 | JPW170563B | 421x421 |
| JPW170564 | JPW170564B | 442x442 |
| JPW170570 | JPW170570B | 457x327 |
| JPW170571 | JPW170571B | 507x377 |
| JPW170572 | JPW170572B | 507x392 |
| JPW170565 | JPW170565B | 507x507 |

OceanX Hatch Insect Screens

These internal fly screens feature a sewn mesh frame to allow airflow and natural light while keeping mosquitoes and flies out.

- Thick gasket seal around the rim.
- Requires for trim ring opposite to hold in place.



| Part No. | Suits Hatch Cut-out Size A x B (mm) |
|-----------|-------------------------------------|
| JPW170535 | 231x176 |
| JPW170530 | 211x211 |
| JPW170531 | 260x260 |
| JPW170536 | 347x202 |
| JPW170532 | 421x421 |
| JPW170533 | 442x442 |
| JPW170537 | 457x327 |
| JPW170538 | 507x377 |
| JPW170539 | 507x392 |
| JPW170534 | 507x507 |

Replacement OceanX Deck Hatch Locking Handles

Provides smooth secure operation from inside the cabin or on deck.

- Locking assembly includes internal and external handles.



Single handle without Riser Arm Stay Bracket

Handle Pair with Riser Arm Stay Bracket

| Part No. | Riser Arm Stay Bracket | Qty in Pack | Suits Hatch Cut-out Size A x B (mm) |
|----------|------------------------|-------------|-------------------------------------|
| SPX17015 | No | Single | 230 x 176 |
| SPX17010 | No | Single | 211 x 211 |
| SPX17011 | No | Single | 260 x 260 |
| SPX17016 | No | Single | 347 x 202 |
| SPX17012 | Yes | Pair | 421 x 421 |
| SPX17013 | Yes | Pair | 442 x 442 |
| SPX17017 | Yes | Pair | 457 x 327 |
| SPX17018 | Yes | Pair | 507 x 377 |
| SPX17019 | Yes | Pair | 507 x 392 |
| SPX17014 | Yes | Pair | 507 x 507 |

Replacement OceanX Deck Hatch Riser Arms

Adjustable riser arms with twist lock mechanism and removable design to allow full hatch access.



Single Riser Arm with Lid Attachment

Riser Arm Pair with Handle Attachment


| Part No. | Attachment | Qty in Pack | Suits Hatch Cut-out Size A x B (mm) |
|----------|------------|-------------|-------------------------------------|
| SPX17025 | Lid | Single | 211 x 211 |
| SPX17026 | Lid | Single | 260 x 260 |
| SPX17027 | Handle | Pair | 421 x 421 |
| SPX17028 | Handle | Pair | 442 x 442 |
| SPX17032 | Handle | Pair | 457 x 327 |
| SPX17033 | Handle | Pair | 507 x 377 |
| SPX17034 | Handle | Pair | 507 x 392 |
| SPX17029 | Handle | Pair | 507 x 507 |

OceanX Aluminium Rectangular Opening Portlights

Watertight portlights crafted with an anodized aluminium alloy frame and stylish, UV-resistant acrylic smoke glass lens.

- Scratch-resistant coating on frame.
- Robust, easy-to-use internal nylon handles.
- Deck Thickness: 31mm

NEW 2025



Internal view - Black




Internal view - Silver




External view - Black




External view - Silver



JPW171550 / JPW171551



JPW171552 / JPW171553



JPW171559 / JPW171560


| Part No. | | Outside of Frame A x B (mm) | Cut Out Size A x B (mm) |
|-----------|-----------|-----------------------------|-------------------------|
| Aluminium | Black | | |
| JPW170545 | JPW170546 | 325 x 178 | 303 x 156 |
| JPW170547 | JPW170548 | 369 x 193 | 347 x 171 |
| JPW170549 | JPW170550 | 451 x 193 | 429 x 171 |

OceanX Aluminium Elliptical Opening Portlight

This polished 316-grade stainless steel portlight delivers the perfect balance of strength, style, and corrosion resistance for marine environments

- Stylish, UV-resistant acrylic smoke glass.
- Built-in fly screen to keep bugs out.
- Robust and easy-to-use internal nylon handles.

NEW 2025



Internal view - open



External view



Internal view - closed


| Part No. | Outside of Frame A x B (mm) | Cut Out Size A x B (mm) |
|-----------|-----------------------------|-------------------------|
| JPW170556 | 460 x 205 | 418 x 160 |



Bomar 2000 Series Rectangle Aluminium Portlights

Bomar 2000 Series rectangular portlights are made from extruded aluminium and include a smoked acrylic lens, insect screen and trim. The multiple quick action clamps help secure the lens against the seal to create a water-tight closure. There are no external visible screws to install and are available in either silver anodised aluminium or black powder coated.

- Hull thickness: from 6mm to 36mm.
- Heavy duty extruded aluminium frames.
- Tough acrylic smoked lens.
- Complete with trim ring and screen.
- No visible exterior screws.
- Adjustable quick dogs.



JPW171559
Fixed Portlight Internal view



External view - Black




Internal view - Black




External view - Silver




Internal view - Silver




JPW171550 / JPW171551




JPW171552 / JPW171553



JPW171559 / JPW171560



JPW171556 / JPW171557



JPW171558


| JPW Part No. | | Bomar Code | Portlight Type | Clear View A x B (mm) | Cut-Out A x B (mm) | O.D of Finishing Ring A x B (mm) |
|--------------|-----------|------------|----------------|-----------------------|--------------------|----------------------------------|
| Silver | Black | | | | | |
| JPW171550 | JPW171551 | NC2410 | Opening | 243 x 94 | 305 x 156 | 329 x 179 |
| JPW171552 | JPW171553 | NC2414 | Opening | 343 x 94 | 405 x 156 | 429 x 179 |
| - | JPW171559 | NC2512-BSA | Fixed | 287 x 111 | 349 x 173 | 373 x 197 |
| JPW171560 | - | NC2512 | Opening | 287 x 111 | 349 x 173 | 373 x 197 |
| JPW171556 | JPW171557 | NC2515 | Opening | 367 x 110 | 429 x 171 | 452 x 195 |
| JPW171558 | - | NC2523 | Opening | 565 x 110 | 627 x 171 | 651 x 195 |



Bomar Gray Series Rectangle Portlights - Opening

The Bomar Gray Series opening rectangular portlight range provides a neat and functional portlight as chosen by many boat builders from around the world. Friction hinges will hold the port window open at any chosen position.

- Available in a black or white frame, with a clear pane and removable screen.
- Clear lens and large viewing area.
- Adjustable quick action locking knobs.
- Watertight seal when closed.
- Complete with trim ring and screen.



External view - Black




Internal view - Black




External view - White




Internal view - White




JPW171452 / JPW171453




JPW171454 / JPW171455



JPW171458 / JPW171459



JPW171460 / JPW171461





JPW171462 / JPW171463

| JPW Part No. | | Bomar Code | Cut-Out A x B (mm) | O.D of Finishing Ring A x B (mm) | Spigot Length (mm) |
|--------------|-----------|------------|--------------------|----------------------------------|--------------------|
| Black | White | | | | |
| JPW171452 | JPW171453 | G410-A | 265 x 117 | 318 x 167 | 49 |
| JPW171454 | JPW171455 | G414-A | 368 x 114 | 419 x 165 | 48 |
| JPW171458 | JPW171459 | G512-AD | 318 x 140 | 373 x 198 | 60 |
| JPW171460 | JPW171461 | G715-AD | 394 x 192 | 451 x 244 | 48 |
| JPW171462 | JPW171463 | G818-AD | 468 x 216 | 524 x 271 | 48 |


Bomar Gray Series Elliptical Portlights - Opening

Bomar Gray Series opening elliptical portlights are moulded high impact-resistant, UV-stabilised resin. The smoked lens is polycarbonate and comes complete with an insect screen. The friction hinges allow for the portlight to remain open at any chosen position.

- Super tough smoked polycarbonate lens (injection moulded).
- White frame is made from UV-stabilised resin.
- Highly polished 316-grade stainless steel outer trim ring.
- Internal mounting holes.



JPW171521






JPW171523

| JPW Part No. | Bomar Code | Cut-Out A x B (mm) | O.D of Finishing Ring A x B (mm) | Spigot Length (mm) |
|--------------|------------|--------------------|----------------------------------|--------------------|
| JPW171521 | G515-28SS | 362 x 92 | 419 x 149 | 29 |
| JPW171523 | G616-28SS | 406 x 152 | 467 x 208 | 32 |


Bomar Gray Series Elliptical Portlights - Fixed

Bomar Gray Series surface mount fixed portlights with polished stainless steel trim ring and smoked acrylic lens. Easy to install and supplied complete in three components.

- Impact resistant UV stabilised smoked acrylic lens.
- Pressed 316-grade stainless steel trim ring.
- External mounting holes.



JPW171530




JPW171534

| JPW Part No. | Bomar Code | Cut-Out A x B (mm) | O.D of Finishing Ring A x B (mm) | Max Hull Thickness (mm) |
|--------------|------------|--------------------|----------------------------------|-------------------------|
| JPW171530 | G515-1028 | 356 x 89 | 397 x 124 | 13 |
| JPW171534 | G616-1028 | 400 x 146 | 457 x 197 | 13 |

Bomar Spares for Gray Series Portlights

- Replacement gasket is sold per foot.

| JPW Part No. | Bomar Code | Description |
|--------------|------------|-----------------------------|
| JPW170789 | GP904-09 | Gasket Seal |
| JPW170778 | GP901-02B | Tightening Knob (Dog) Black |
| JPW170779 | GP901-02W | Tightening Knob (Dog) White |




Bomar Moulded Flagship Elliptical Portlight - Opening

These injection moulded portlights are long-lasting, even in harsh and salty climates, with 3/8" tinted acrylic windows, outside polished stainless steel finishing ring and removable insect screen. Features include adjustable quick action dogs and a beveled exterior frame for maximum draining.

- Smoked acrylic lens with polished edges.
- Internal mounting holes.
- No visible exterior screws.
- Friction hinge.



JPW171573
Replacement Latch Toggle



External view




Internal view

| JPW Part No. | Bomar Code | Cut-Out A x B (mm) | O.D of Finishing Ring A x B (mm) |
|--------------|------------|--------------------|----------------------------------|
| JPW171504 | G618-28SS | 443 x 184 | 468 x 210 |

Bomar Classic Stainless Steel Elliptical Portlights - Opening

Bomar Classic Series polished stainless steel portlights with smoked acrylic lens. Features friction hinges that hold the port window open at any chosen position. Complete with outside finishing ring and screen.

- Same sized portlights suitable for different thickness of hulls.
- Smoked acrylic lens.
- Adjustable quick dogs closures.



External view



Internal view

| JPW Part No. | Bomar Code | Cut-Out A x B (mm) | O.D of Finishing Ring A x B (mm) | Hull Thickness (mm) |
|--------------|------------|--------------------|----------------------------------|---------------------|
| JPW171500 | S616MBSS-2 | 413 x 159 | 435 x 184 | 10 - 20 |
| JPW171503 | S616MBSS-3 | 413 x 159 | 435 x 184 | 20 - 35 |

Bomar Spares for Classic Series Portlights

| JPW Part No. | Bomar Code | Description |
|--------------|---------------|--|
| JPW171516 | P100-04-RETRO | Gasket Seal Ring and Insect Screen Kit |
| JPW170781 | GS616-18 | Insect Screen only |
| JPW171518 | P100-05 | Latch Toggle and Screw |



JPW171518



JPW171516
Gasket and Screen Kit

JPW170781
Insect screen only

HOW TO ORDER

Select products from the catalogue or through our website using the product categories or search function. Make note of the part numbers to facilitate ordering.

ONLINE



Login to our website
with your customer username & password.

www.jpwmarine.com.au

If you know our product codes, use the
'Quick Order' form for a speedy checkout.

PHONE



Call us during standard
Western Australian business hours on

(08) 6253 3000

to place order by phone.

EMAIL



Email your order to

orders@jpwmarine.com.au



JPW MARINE

WHOLESALE MARINE SPECIALISTS